

The `I3backend-testphase` package

Additional backend PDF features

L^AT_EX PDF management testphase bundle

The L^AT_EX Project*

Version 0.96p, released 2025-02-15

1 I3backend-testphase Implementation

```
1 <drivers>\ProvidesExplFile
2 {*dvipdfmx}
3   {l3backend-testphase-dvipdfmx.def}{2025-02-15}={}
4   {LaTeX-PDF~management~testphase~bundle~backend~support: dvipdfmx}
5 
```

```
6 {*dvips}
7   {l3backend-testphase-dvips.def}{2025-02-15}={}
8   {LaTeX-PDF~management~testphase~bundle~backend~support: dvips}
9 
```

```
10 {*dvisvgm}
11   {l3backend-testphase-dvisvgm.def}{2025-02-15}={}
12   {LaTeX-PDF~management~testphase~bundle~backend~support: dvisvgm}
13 
```

```
14 {*luatex}
15   {l3backend-testphase-luatex.def}{2025-02-15}={}
16   {LaTeX-PDF~management~testphase~bundle~backend~support: PDF output (LuaTeX)}
17 
```

```
18 {*pdftex}
19   {l3backend-testphase-pdftex.def}{2025-02-15}={}
20   {LaTeX-PDF~management~testphase~bundle~backend~support: PDF output (pdfTeX)}
21 
```

```
22 {*xdvipdfmx}
23   {l3backend-testphase-xetex.def}{2025-02-15}={}
24   {LaTeX-PDF~management~testphase~bundle~backend~support: XeTeX}
25 
```

```
26 
```

1.1 Variants

We need to generate temporarily a few e-types variants of kernel backend commands. These can be removed once the kernel provides them.

```
26 <@@=pdf>
27 {*luatex | pdftex}
28 \cs_generate_variant:Nn \__kernel_backend_literal_page:n { e }
```

*E-mail: latex-team@latex-project.org

```

29 </luatex | pdftex>
30 <*dvipdfmx | xdvipdfmx>
31 \cs_generate_variant:Nn \__kernel_backend_literal:n { e }
32 \cs_generate_variant:Nn \__pdf_backend:n { e }
33 </dvipdfmx | xdvipdfmx>
34 <*dvips>
35 \cs_generate_variant:Nn \__kernel_backend_postscript:n { e }
36 \cs_generate_variant:Nn \__pdf_backend_pdfmark:n { e }
37 </dvips>
```

1.2 Support for delayed literal and special

Starting with TeXlive 2023 the engines support a `shipout` keyword for `\pdfliteral` and `\special`. When used the argument is not expanded when the command is used but only when the page is shipped out. This allows for example the tagging code to delay the page-wise numbering of MC-chunks until the page is actually built. For now we test the engine support. The boolean is setup in `pdfmanagement-testphase.dtx`.

```
38 <*drivers>
```

The following commands provide the needed kernel backend support. This are basically copies of similar commands of `l3backend-basics`.

`_kernel_backend_shipout_literal:e`

The one shared function for all backends is access to the basic `\special` primitive.

```

39 \bool_if:NT \l__pdfmanagement_delayed_shipout_bool
40 {
41   \cs_new_protected:Npn \__kernel_backend_shipout_literal:e #1
42     { \tex_special:D-shipout { #1} }
43 </drivers>

(End of definition for \__kernel_backend_shipout_literal:e.)
```

```
44 <*luatex | pdftex>
```

`_kernel_backend_shipout_literal_pdf:e`

This is equivalent to `\special{pdf:}` but the engine can track it. Without the `direct` keyword everything is kept in sync: the transformation matrix is set to the current point automatically. Note that this is still inside the text (BT ... ET block).

```

45   \cs_new_protected:Npn \__kernel_backend_shipout_literal_pdf:e #1
46   {
47     <*luatex>
48       \tex_pdfextension:D ~ literal ~ shipout ~
49     </luatex>
50     <*pdftex>
51       \tex_pdfliteral:D ~ shipout ~
52     </pdftex>
53       { #1 }
54   }
```

(End of definition for __kernel_backend_shipout_literal_pdf:e.)

`_kernel_backend_shipout_literal_page:e`

Page literals are pretty simple.

```

55   \cs_new_protected:Npn \__kernel_backend_shipout_literal_page:e #1
56   {
57     <*luatex>
58       \tex_pdfextension:D ~ literal ~ shipout ~
59     </luatex>
```

```

60  <*pdftex>
61      \tex_pdfliteral:D ~ shipout ~
62  </pdftex>
63      page { #1 }
64  }
65 </luatex | pdftex>
66 <drivers>

```

(End of definition for `__kernel_backend_shipout_literal_page:e.`)

1.3 Crossreferences

Commands to get a reference for the absolute page counter.

```

67 <*drivers>
68 \cs_new_protected:Npn \__pdf_backend_record_abspage:n #1
69  {
70      \@bsphack
71      \property_record:nn{#1}{abspage}
72      \@esphack
73  }
74 \cs_new:Npn \__pdf_backend_ref_abspage:n #1
75  {
76      \property_ref:nn{#1}{abspage}
77  }
78
79 \cs_generate_variant:Nn \__pdf_backend_record_abspage:n {e}
80 \cs_generate_variant:Nn \__pdf_backend_ref_abspage:n {e}
81 </drivers>

```

avoid that destinations names are optimized with xelatex/dvipdfmx see <https://tug.org/pipermail/dvipdfmx/2015-May/000002.html>

```

82 <*dvipdfmx | xdvipdfmx>
83     \__kernel_backend_literal:n { dvipdfmx:config-C~ 0x0010 }
84 </dvipdfmx | xdvipdfmx>

```

Some scratch variables

```

85 <*drivers>
86 \prop_new:N \g__pdf_tmpa_prop
87 \tl_new:N \l__pdf_tmpa_tl
88 \box_new:N \l__pdf_backend_tmpa_box
89 \box_new:N \l__pdf_backend_tmpb_box
90 </drivers>

```

(End of definition for `\g__pdf_tmpa_prop`, `\l__pdf_tmpa_tl`, and `\l__pdf_backend_tmpa_box`.)

a counter to create labels for the resources, a counter to number properties in bdc marks, a counter for the `\pdfpageref` implementation.

```

91 <*drivers>
92 \int_new:N \g__pdf_backend_resourceid_int
93 \int_new:N \g__pdf_backend_name_int
94 \int_new:N \g__pdf_backend_page_int
95 </drivers>

```

(End of definition for `\g__pdf_backend_resourceid_int`, `\g__pdf_backend_name_int`, and `\g__pdf_backend_page_int`.)

1.4 luacode

Load the lua code.

```
96 <*luatex>
97     \directlua { require("l3backend-testphase.lua") }
98 </luatex>
```

1.5 Converting unicode strings to a pdfname

dvips needs a special function here, so we add this as backend function.

```
99 <*pdftex | luatex | dvipdfmx | xdvipdfmx | dvisvgm>
100 \cs_new:Npn \__kernel_pdf_name_from_unicode_e:n #1
101 {
102     / \str_convert_pdfname:e { \text_expand:n { #1 } }
103 }
104 </pdftex | luatex | dvipdfmx | xdvipdfmx | dvisvgm>
105 <*dvips>
106 \cs_new:Npn \__kernel_pdf_name_from_unicode_e:n #1
107 {
108     ~ ( \text_expand:n { #1 } ) ~ cvn
109 }
110 </dvips>
```

1.6 Hooks

1.6.1 Add the “end run” hooks

Here we add the end run hook to suitable end hooks.

```
111 <*pdftex | luatex>
112 % put in \@kernel@after@enddocument@afterlastpage
113 \tl_gput_right:Nn \@kernel@after@enddocument@afterlastpage
114 {
115     \g__kernel_pdfmanagement_end_run_code_tl
116 }
117 </pdftex | luatex>
118 <*dvipdfmx | xdvipdfmx>
119 % put in \@kernel@after@shipout@lastpage
120 \tl_gput_right:Nn \@kernel@after@shipout@lastpage
121 {
122     \g__kernel_pdfmanagement_end_run_code_tl
123 }
124 </dvipdfmx | xdvipdfmx>
125 <*dvips>
126 % put in \@kernel@after@shipout@lastpage
127 \tl_gput_right:Nn \@kernel@after@shipout@lastpage
128 {
129     \g__kernel_pdfmanagement_end_run_code_tl
130 }
131 </dvips>
```

1.6.2 Add the “shipout” hooks

Now we add to the shipout hooks the relevant token lists. We also push the page resources in shipout/firstpage (AtBeginDvi) as the backend code sets color stack there. The xetex driver needs a rule here. If it clashes on the first page, we will need a test ...

```
132 <!*drivers>
133 \tl_if_exist:NTF \@kernel@after@shipout@background
134 {
135   \g@addto@macro \@kernel@before@shipout@background{\relax}
136   \g@addto@macro \@kernel@after@shipout@background
137   {
138     \g__kernel_pdfmanagement_thispage_shipout_code_t1
139   }
140 }
141 {
142   \hook_gput_code:nnn{shipout/background}{pdf}
143   {
144     \g__kernel_pdfmanagement_thispage_shipout_code_t1
145   }
146 }
147
148 </drivers>
```

1.7 The /Pages dictionary (pdfpagesattr)

__pdf_backend_Pages_primitive:n This is the primitive command to add something to the /Pages dictionary. It works differently for the backends: pdftex and luatex overwrite existing content, dvips and dvipdfmx are additive. luatex sets it in lua. The higher level code has to take this into account.

```
149 <!*pdftex>
150 \cs_new_protected:Npn \_\_pdf_backend_Pages_primitive:n #1
151 {
152   \tex_global:D \tex_pdfpagesattr:D { #1 }
153 }
154 </pdftex>
155 <!*luatex>
156 %luatex: does it in lua
157 \sys_if_engine_luatex:T
158 {
159   \cs_new_protected:Npn \_\_pdf_backend_Pages_primitive:n #1
160   {
161     \tex_directlua:D
162     {
163       pdf.setpagesattributes( \_\_pdf_backend_luastring:n { #1 } )
164     }
165   }
166 }
167 </luatex>
168 <!*dvips>
169 \cs_new_protected:Npx \_\_pdf_backend_Pages_primitive:n #1
170 {
171   \tex_special:D{ps:~[#1~/PAGES~pdfmark} %
172 }
```

```

173  </dvips>
174  <*dvipdfmx | xdvipdfmx>
175  \cs_new_protected:Npn \__pdf_backend_Pages_primitive:n #1
176  {
177      \__pdf_backend:n{put~@pages~<<#1>>}
178  }
179  </dvipdfmx | xdvipdfmx>
180  <*dvisvgm>
181  \cs_new_protected:Npn \__pdf_backend_Pages_primitive:n #1
182  {}
183  </dvisvgm>

```

(End of definition for `__pdf_backend_Pages_primitive:n`.)

1.8 “Page” and “ThisPage” attributes (`pdfpageattr`)

`__pdf_backend_Page_primitive:n`, `__pdf_backend_Page_gput:nn`,
`__pdf_backend_Page_gremove:nn`,
`__pdf_backend_Page_gpush:nn`,
`__pdf_backend_Page_gput:nnn`,
`__pdf_backend_Page_gremove:nnn`,
`__pdf_backend_Page_gpush:nnn`

`__pdf_backend_Page_primitive:n` is the primitive command to add something to the /Page dictionary. It works differently for the backends: pdftex and luatex overwrite existing content, dvips and dvipdfmx are additive. luatex sets it in lua. The higher level code has to take this into account. `__pdf_backend_Page_gput:nn` stores default values. `__pdf_backend_Page_gremove:n` allows to remove a value. `__pdf_backend_Page_gpush:nn` adds a value to the current page. `__pdf_backend_Page_gpush:nn` merges the default and the current page values and add them to the dictionary of the current page in `\g__pdf_backend_thispage_shipout_t1`.

```

184 % backend commands
185 <*pdftex>
186 %the primitive
187 \cs_new_protected:Npn \__pdf_backend_Page_primitive:n #1
188 {
189     \tex_global:D \tex_pdfpageattr:D { #1 }
190 }
191 % the command to store default values.
192 % Uses a prop with pdflatex + dvi,
193 % sets a lua table with lualatex
194 \cs_new_protected:Npn \__pdf_backend_Page_gput:nn #1 #2 %key,value
195 {
196     \pdfdict_gput:nnn {g__pdf_Core/Page}{ #1 }{ #2 }
197 }
198 % the command to remove a default value.
199 % Uses a prop with pdflatex + dvi,
200 % changes a lua table with lualatex
201 \cs_new_protected:Npn \__pdf_backend_Page_gremove:n #1
202 {
203     \pdfdict_gremove:nn {g__pdf_Core/Page}{ #1 }
204 }
205 % the command used in the document.
206 % direct call of the primitive special with dvips/dvipdfmx
207 % \latelua: fill a page related table with lualatex, merge it with the page
208 % table and push it directly
209 % write to aux and store in prop with pdflatex
210 \cs_new_protected:Npn \__pdf_backend_Page_gpush:nn #1 #2
211 {
212     %we need to know the page the resource should be added too.

```

```

213  \int_gincr:N\g__pdf_backend_resourceid_int
214  \__pdf_backend_record_abspage:e { 13pdf\int_use:N\g__pdf_backend_resourceid_int }
215  \tl_set:Nn \l__pdf_tmpa_tl
216  {
217      \__pdf_backend_ref_abspage:e {l3pdf\int_use:N\g__pdf_backend_resourceid_int}
218  }
219  \pdfdict_if_exist:nF { g__pdf_Core/backend_Page\l__pdf_tmpa_tl}
220  {
221      \pdfdict_new:n { g__pdf_Core/backend_Page\l__pdf_tmpa_tl}
222  }
223  %backend_Page has no handler.
224  \pdfdict_gput:nnn {g__pdf_Core/backend_Page\l__pdf_tmpa_tl}{ #1 }{ #2 }
225  }
226 %the code to push the values, used in shipout
227 %merges the two props and then fills the register in pdflatex
228 %merges the two tables and then fills (in lua) in luatex
229 %issues the values stored in the global prop with dvi
230 \cs_new_protected:Npn \__pdf_backend_ThisPage_gpush:n #1
231  {
232      \prop_gset_eq:Nc \g__pdf_tmpa_prop { \__kernel_pdfdict_name:n { g__pdf_Core/Page } }
233      \prop_if_exist:cT { \__kernel_pdfdict_name:n { g__pdf_Core/backend_Page#1 } }
234  {
235      \prop_map_inline:cn { \__kernel_pdfdict_name:n { g__pdf_Core/backend_Page#1 } }
236      {
237          \prop_gput:Nnn \g__pdf_tmpa_prop { ##1 }{ ##2 }
238      }
239  }
240  \__pdf_backend_Page_primitive:e
241  {
242      \prop_map_function:NN \g__pdf_tmpa_prop \pdfdict_item:ne
243  }
244  }
245 
```

/pdflatex

*luatex

% do we need to use some escaping for the values?????

248 \cs_new:Npn __pdf_backend_luastring:n #1

249 {

250 "\tex_luaescapestring:D { \tex_unexpanded:D { #1 } }"

251 }

252 %not used, only there for consistency

253 \cs_new_protected:Npn __pdf_backend_Page_primitive:n #1

254 {

255 \tex_latelua:D

256 {

257 pdf.setpageattributes(__pdf_backend_luastring:n { #1 })

258 }

259 % the command to store default values.

260 % Uses a prop with pdflatex + dvi,

261 % sets a lua table with luatex

262 \cs_new_protected:Npn __pdf_backend_Page_gput:nn #1 #2

263 {

264 \tex_directlua:D

265 {

```

267     ltx._pdf.backend_Page_gput
268     (
269         \_pdf_backend_luastring:n { #1 },
270         \_pdf_backend_luastring:n { #2 }
271     )
272 }
273 }
274 % the command to remove a default value.
275 % Uses a prop with pdflatex + dvi,
276 % changes a lua table with lualatex
277 \cs_new_protected:Npn \_pdf_backend_Page_gremove:n #1
278 {
279     \tex_directlua:D
280     {
281         ltx._pdf.backend_Page_gremove (\_pdf_backend_luastring:n { #1 })
282     }
283 }
284 % the command used in the document.
285 % direct call of the primitive special with dvips/dvipdfmx
286 % \latelua: fill a page related table with lualatex, merge it with the page
287 % table and push it directly
288 % write to aux and store in prop with pdflatex
289 \cs_new_protected:Npn \_pdf_backend_ThisPage_gput:nn #1 #2
290 {
291     \tex_latelua:D
292     {
293         ltx._pdf.backend_ThisPage_gput
294         (
295             tex.count["g_shipout_READONLY_int"],
296             \_pdf_backend_luastring:n { #1 },
297             \_pdf_backend_luastring:n { #2 }
298         )
299         ltx._pdf.backend_ThisPage_gpush (tex.count["g_shipout_READONLY_int"])
300     }
301 }
302 %the code to push the values, used in shipout
303 %merges the two props and then fills the register in pdflatex
304 %merges the two tables (the one is probably still empty) and then fills (in lua) in lualatex
305 %issues the values stored in the global prop with dvi
306 \cs_new_protected:Npn \_pdf_backend_ThisPage_gpush:n #1
307 {
308     \tex_latelua:D
309     {
310         ltx._pdf.backend_ThisPage_gpush (tex.count["g_shipout_READONLY_int"])
311     }
312 }
313 
```

314

315

316 %the primitive

317 \cs_new_protected:Npn _pdf_backend_Page_primitive:n #1

318 {

319 \tex_special:D{pdf:~put~@thispage~<<#1>>}

320 }

```

321 % the command to store default values.
322 % Uses a prop with pdflatex + dvi,
323 % sets a lua table with lualatex
324 \cs_new_protected:Npn \__pdf_backend_Page_gput:nn #1 #2
325 {
326     \pdfdict_gput:nnn {g__pdf_Core/Page}{#1}{#2}
327 }
328 % the command to remove a default value.
329 % Uses a prop with pdflatex + dvi,
330 % changes a lua table with lualatex
331 \cs_new_protected:Npn \__pdf_backend_Page_gremove:n #1
332 {
333     \pdfdict_gremove:nn {g__pdf_Core/Page}{#1}
334 }
335 % the command used in the document.
336 % direct call of the primitive special with dvips/dvipdfmx
337 % \latelua: fill a page related table with lualatex, merge it with the page
338 % table and push it directly
339 % write to aux and store in prop with pdflatex
340 \cs_new_protected:Npn \__pdf_backend_ThisPage_gput:nn #1 #2
341 {
342     \__pdf_backend_Page_primitive:n {/#1~#2}
343 }
344 %the code to push the values, used in shipout
345 %merges the two props and then fills the register in pdflatex
346 %merges the two tables (the one is probably still empty)
347 % and then fills (in lua) in luatex
348 %issues the values stored in the global prop with dvi
349 \cs_new_protected:Npn \__pdf_backend_ThisPage_gpush:n #1
350 {
351     \__pdf_backend_Page_primitive:e
352     { \pdfdict_use:n {g__pdf_Core/Page} }
353 }
354 (/dvipdfmx |xdvipdfmx)
355 /*dvips*/
356 \cs_new_protected:Npn \__pdf_backend_Page_primitive:n #1
357 {
358     \tex_special:D{ps:~[{ThisPage}<<#1>>~/PUT~pdfmark} %]
359 }
360 % the command to store default values.
361 % Uses a prop with pdflatex + dvi,
362 % sets a lua table with lualatex
363 \cs_new_protected:Npn \__pdf_backend_Page_gput:nn #1 #2
364 {
365     \pdfdict_gput:nnn {g__pdf_Core/Page}{#1}{#2}
366 }
367 % the command to remove a default value.
368 % Uses a prop with pdflatex + dvi,
369 % changes a lua table with lualatex
370 \cs_new_protected:Npn \__pdf_backend_Page_gremove:n #1
371 {
372     \pdfdict_gremove:nn {g__pdf_Core/Page}{#1}
373 }
374 % the command used in the document.

```

```

375 % direct call of the primitive special with dvips/dvipdfmx
376 % \latelua: fill a page related table with lualatex, merge it with the page
377 % table and push it directly
378 % write to aux and store in prop with pdflatex
379 \cs_new_protected:Npn \__pdf_backend_ThisPage_gput:nn #1 #2
380 {
381     \__pdf_backend_Page_primitive:n { /#1~#2 }
382 }
383 %the code to push the values, used in shipout
384 %merges the two props and then fills the register in pdflatex
385 %merges the two tables (the one is probably still empty)
386 %and then fills (in lua) in luatex
387 %issues the values stored in the global prop with dvi
388 \cs_new_protected:Npn \__pdf_backend_ThisPage_gpush:n #1
389 {
390     \__pdf_backend_Page_primitive:e
391     { \pdfdict_use:n { g__pdf_Core/Page} }
392 }
393 </dvips>
394 <*dvisvgm>
395 % mostly only dummies ...
396 \cs_new_protected:Npn \__pdf_backend_Page_primitive:n #1
397 {
398     % Uses a prop with pdflatex + dvi,
399 \cs_new_protected:Npn \__pdf_backend_Page_gput:nn #1 #2
400 {
401     \pdfdict_gput:nnn {g__pdf_Core/Page}{ #1 }{ #2 }
402 }
403 % the command to remove a default value.
404 % Uses a prop with pdflatex + dvi,
405 \cs_new_protected:Npn \__pdf_backend_Page_gremove:n #1
406 {
407     \pdfdict_gremove:nn {g__pdf_Core/Page}{ #1 }
408 }
409 % the command used in the document.
410 \cs_new_protected:Npn \__pdf_backend_ThisPage_gput:nn #1 #2
411 {
412     %the code to push the values, used in shipout
413 \cs_new_protected:Npn \__pdf_backend_ThisPage_gpush:n #1
414 {
415 }
416 </dvisvgm>
417 <*drivers>
418 </drivers>

```

(End of definition for `__pdf_backend_Page_primitive:n` and others.)

1.9 “Page/Resources”: ExtGState, ColorSpace, Shading, Pattern

Path: Page/Resources/ExtGState etc. The actual output of the resources is handled together with the bdc/Properties. Here is only special code.

```
\c__pdf_backend_PageResources_clist
```

The names are quite often needed a similar list is now in l3pdfmanagement. Perhaps it should be merged.

```
419 <!*drivers>
420 \clist_const:Nn \c__pdf_backend_PageResources_clist
421 {
422     ExtGState,
423     ColorSpace,
424     Pattern,
425     Shading,
426 }
427 </drivers>
```

(End of definition for \c__pdf_backend_PageResources_clist.)

Now the backend commands the command to fill the register and to push the values.

```
\_pdf_backend_PageResources_gput:nnn
```

stores values for the page resources.

#1 : name of the resource (ExtGState, ColorSpace, Shading, Pattern)

#2 : a pdf name without slash

#3 : value

This pushes out the objects. It should be a no-op with xdvipdfmx and dvips as it currently issued in the end-of-run hook! create the backend objects:

```
428 <!*pdftex | luatex>
429 \clist_map_inline:Nn \c__pdf_backend_PageResources_clist
430 {
431     \pdf_object_new:n {__pdf/Page/Resources/#1}
432     \cs_if_exist:NT \tex_directlua:D
433     {
434         \tex_directlua:D
435         {
436             ltx.__pdf.object["__pdf/Page/Resources/#1"]
437             =
438             "\pdf_object_ref:n{__pdf/Page/Resources/#1}"
439         }
440     }
441 }
442 </pdftex | luatex>
```

values are only stored in a prop and will be output at end document. luatex must also trigger the lua side

```
443 <!*luatex>
444 \cs_new_protected:Npn \_pdf_backend_PageResources_gput:nnn #1 #2 #3
445 {
446     \pdfdict_gput:nnn {g__pdf_Core/Page/Resources/#1} { #2 }{ #3 }
447     \tex_directlua:D{ltx.__pdf.Page.Resources.#1=true}
448     \tex_directlua:D
449     {
450         ltx.pdf.Page_Resources_gpush(tex.count["g_shipout_READONLY_int"])
451     }
452 }
453 </luatex>
454 <!*pdftex>
455 \cs_new_protected:Npn \_pdf_backend_PageResources_gput:nnn #1 #2 #3
456 {
457 }
```

```

457     \pdfdict_gput:n {g__pdf_Core/Page/Resources/#1} { #2 }{ #3 }
458   }
459 
```

code for end of document code

```

460 <*pdftex | luatex>
461 \cs_new_protected:Npn \__pdf_backend_PageResources_obj_gpush:
462   {
463     \clist_map_inline:Nn \c__pdf_backend_PageResources_clist
464     {
465       \prop_if_empty:cF
466         { \__kernel_pdfdict_name:n { g__pdf_Core/Page/Resources/##1 } }
467       {
468         \pdf_object_write:nne
469           { __pdf/Page/Resources/##1 } { dict }
470           { \pdfdict_use:n { g__pdf_Core/Page/Resources/##1 } }
471       }
472     }
473   }
474 
```

xdvipdfmx doesn't work correctly with object names ... <https://tug.org/pipermail/dvipdfmx/2019-August/000021.html>, so we use this must be issued on every page! objects should not only be created but also **initialized** initialization should be done before anyone tries to write so we add rules for the backend. The push command should not be used as it is in the wrong end document hook. If needed a new command must be added.

```

475 <*xdvipdfmx | xdvipdfmx>
476 <xdvipdfmx>\hook_gset_rule:nnnn{shipout/firstpage}{l3backend-xetex}{after}{pdf}
477 <xdvipdfmx>\hook_gset_rule:nnnn{shipout/firstpage}{l3backend-dvipdfmx}{after}{pdf}
478 %
479 \clist_map_inline:Nn \c__pdf_backend_PageResources_clist
480   {
481     \pdf_object_new:n { __pdf/Page/Resources/#1 }
482     \hook_gput_code:nnn
483       {shipout/firstpage}
484       {pdf}
485       {\pdf_object_write:nne { __pdf/Page/Resources/#1 } { dict } {}}
486   }
487 \cs_new_protected:Npn \__pdf_backend_PageResources:n #1
488   {
489     \__pdf_backend:n {put~@resources~<<#1>>}
490   }
491 \cs_new_protected:Npn \__pdf_backend_PageResources_gput:nnn #1 #2 #3
492   {
493     % this is not used for output, but there is a test if the resource is empty
494     \prop_gput:cne { \__kernel_pdfdict_name:n { g__pdf_Core/Page/Resources/#1 } }
495       { \str_convert_pdfname:n {#2} }{ #3 }
496     %objects are not filled with \pdf_object_write as this is not additive!
497     \__pdf_backend:e
498     {
499       put~\pdf_object_ref:n {__pdf/Page/Resources/#1}<</#2~#3>>
500     }
501   }
502 
```

```

504 〈/dvipdfmx | xdvipdfmx〉
dvips unneeded, or no-op. The push command should not be used as it is in the wrong
end document hook. If needed a new command must be added.
505 〈*dvips〉
506 \cs_new_protected:Npn \__pdf_backend_PageResources:n #1 {}
507 \cs_new_protected:Npn \__pdf_backend_PageResources_gput:nnn #1 #2 #3
508 { %only for the show command TEST! !
509     \pdfdict_gput:nnn {g__pdf_Core/Page/Resources/#1} { #2 }{ #3 }
510 }
511 \cs_new_protected:Npn \__pdf_backend_PageResources_obj_gpush: {}
512 〈/dvips〉
dvipsvgm unneeded, or no-op
513 〈*dvisvgm〉
514 \cs_new_protected:Npn \__pdf_backend_PageResources:n #1 {}
515 \cs_new_protected:Npn \__pdf_backend_PageResources_gput:nnn #1 #2 #3
516 { %only for the show command TEST! !
517     \pdfdict_gput:nnn {g__pdf_Core/Page/Resources/#1} { #2 }{ #3 }
518 }
519 \cs_new_protected:Npn \__pdf_backend_PageResources_obj_gpush: {}
520 〈/dvisvgm〉

```

(End of definition for `__pdf_backend_PageResources_gput:nnn` and `__pdf_backend_PageResources_obj_gpush:..`)

1.9.1 Page resources /Properties + BDC operators

```

\__pdf_backend_bdc:nn
\__pdf_backend_shipout_bdc:ee
\__pdf_backend_bdcobject:nn
\__pdf_backend_bdcobject:n
\__pdf_backend_bdcobject:n
\__pdf_backend_bmc:n
\__pdf_backend_emc:
\__pdf_backend_PageResources_gpush:n

```

`__pdf_backend_bdc:nn`, `__pdf_backend_shipout_bdc:ee`, `__pdf_backend_bdcobject:nn`, `__pdf_backend_bdcobject:n`, `__pdf_backend_bmc:n` and `__pdf_backend_emc:` are the backend command that create the bdc/emc marker and store the properties. `__pdf_backend_PageResources_gpush:n` outputs the /Properties and/or the other resources for the current page.

pdftex and luatex (and perhaps dvips ...) need to know if there are in a xform stream
...

```

521 〈*drivers〉
522 \bool_new:N \l__pdf_backend_xform_bool
523 〈/drivers〉

```

dvips is easy: create an object, and reference it in the bdc ghostscript will then automatically replace it by a name and add the name to the /Properties dict, special variant von accsupp <https://chat.stackexchange.com/transcript/message/50831812#50831812>

```

524 〈*dvips〉
525 %
526 \cs_set_protected:Npn \__pdf_backend_bdc:nn #1 #2 % #1 eg. Span, #2: dict_content
527 {
528     \__pdf_backend_pdfmark:n{#/1~<<#2>>~/BDC}
529 }

```

There is not difference here between inline and property BDC, it is always a property:

```

530 \cs_set_eq:NN \__pdf_backend_bdc_contobj:nn \__pdf_backend_bdc:nn
531 \cs_set_eq:NN \__pdf_backend_bdc_contstream:nn \__pdf_backend_bdc:nn
532
533 \bool_if:NT\l__pdfmanagement_delayed_shipout_bool

```

```

534 {
535   \cs_new_protected:Npn \__pdf_backend_bdc_shipout:ee #1 #2 % #1 eg. Span, #2: dict_content
536   {
537     \__kernel_backend_shipout_literal:e
538     {ps: SDict ~ begin ~ mark /#1~<<#2>>~/BDC ~ pdfmark ~ end }
539   }
540 }
541
542 \cs_set_protected:Npn \__pdf_backend_bdcobject:nn #1 #2 % #1 eg. Span, #2: object name
543 {
544   \__pdf_backend_pdfmark:e{/#1~\pdf_object_ref:n{#2}~/BDC}
545 }
546 \cs_set_protected:Npn \__pdf_backend_bdcobject:n #1 % #1 eg. Span,
547 {
548   \__pdf_backend_pdfmark:e{/#1~\__pdf_backend_object_last:~/BDC}
549 }
550 \cs_set_protected:Npn \__pdf_backend_emc:
551 {
552   \__pdf_backend_pdfmark:n{/EMC} %
553 }
554 \cs_set_protected:Npn \__pdf_backend_bmc:n #1
555 {
556   \__pdf_backend_pdfmark:n{/#1~/BMC} %
557 }
558 \cs_new_protected:Npn \__pdf_backend_PageResources_gpush:n #1 {}
559
560 </dvips>
561 <*dvisvgm>
562 % dvisvgm should do nothing
563 %
564 \cs_set_protected:Npn \__pdf_backend_bdc:nn #1 #2 % #1 eg. Span, #2: dict_content
565 {
566 \cs_set_eq:NN \__pdf_backend_bdc_contobj:nn \__pdf_backend_bdc:nn
567 \cs_set_eq:NN \__pdf_backend_bdc_contstream:nn \__pdf_backend_bdc:nn
568
569 \bool_if:NT\l__pdfmanagement_delayed_shipout_bool
570 {
571   \cs_set_protected:Npn \__pdf_backend_shipout_bdc:ee #1 #2 % #1 eg. Span, #2: dict_content
572   {}
573 }
574 \cs_set_protected:Npn \__pdf_backend_bdcobject:nn #1 #2 % #1 eg. Span, #2: object name
575 {}
576 \cs_set_protected:Npn \__pdf_backend_bdcobject:n #1 % #1 eg. Span,
577 {}
578 \cs_set_protected:Npn \__pdf_backend_emc:
579 {}
580 \cs_set_protected:Npn \__pdf_backend_bmc:n #1
581 {}
582 \cs_new_protected:Npn \__pdf_backend_PageResources_gpush:n #1 {}
583
584 </dvisvgm>
585 %
586 % xetex has to create the entries in the /Properties manually
587 % (like the other backends)

```

```

588 % use pdfbase special
589 % https://chat.stackexchange.com/transcript/message/50832016#50832016
590 % the property is added to xform resources automatically,
591 % no need to worry about it.
592 <*dvipdfmx | xdvipdfmx>
593 \cs_set_protected:Npn \__pdf_backend_bdcobject:nn #1 #2 % #1 eg. Span, #2: object name
594 {
595     \int_gincr:N \g__pdf_backend_name_int
596     \__kernel_backend_literal:e
597     {
598         pdf:code~/#1/l3pdf\int_use:N\g__pdf_backend_name_int\c_space_tl BDC
599     }
600     \__kernel_backend_literal:e
601     {
602         pdf:put~@resources~
603         <<
604             /Properties~
605             <<
606                 /l3pdf\int_use:N\g__pdf_backend_name_int\c_space_tl
607                 \pdf_object_ref:n { #2 }
608             >>
609         >>
610     }
611 }
612 \cs_set_protected:Npn \__pdf_backend_bdcobject:n #1 % #1 eg. Span
613 {
614     \int_gincr:N \g__pdf_backend_name_int
615     \__kernel_backend_literal:e
616     {
617         pdf:code~/\exp_not:n{#1}/l3pdf\int_use:N\g__pdf_backend_name_int\c_space_tl BDC
618     }
619     \__kernel_backend_literal:e
620     {
621         pdf:put~@resources~
622         <<
623             /Properties~
624             <<
625                 /l3pdf\int_use:N\g__pdf_backend_name_int\c_space_tl
626                 \__pdf_backend_object_last:
627             >>
628         >>
629     }
630 }
631 \cs_set_protected:Npn \__pdf_backend_bmc:n #1
632 {
633     \__kernel_backend_literal:n {pdf:code~/#1-BMC}  %pdfbase
634 }
635
636 %this require management
637 \cs_set_protected:Npn \__pdf_backend_bdc_contobj:nn #1 #2
638 {
639     \pdf_object_unnamed_write:nn { dict }{ #2 }
640     \__pdf_backend_bdcobject:n { #1 }
641 }

```

```

642 \cs_set_protected:Npn \__pdf_backend_bdc_contstream:nn #1 #2
643 {
644     \__kernel_backend_literal:n {pdf:code~ /#1-<<#2>>-BDC }
645 }
646 }
647
648 \cs_set_protected:Npn \__pdf_backend_bdc:nn #1 #2
649 {
650     \bool_if:NTF \g__pdfmanagement_active_bool
651         {\cs_gset_eq:NN \__pdf_backend_bdc:nn \__pdf_backend_bdc_contobj:nn}
652         {\cs_gset_eq:NN \__pdf_backend_bdc:nn \__pdf_backend_bdc_contstream:nn}
653         \__pdf_backend_bdc:nn {#1}{#2}
654 }
655
656 \bool_if:NT\l__pdfmanagement_delayed_shipout_bool
657 {
658     \cs_set_protected:Npn \__pdf_backend_bdc_shipout_contstream:ee #1 #2
659     {
660         \__kernel_backend_shipout_literal:e {pdf:code~ /#1-<<#2>>-BDC }
661     }
662     \cs_set_eq:NN \__pdf_backend_bdc_shipout:ee \__pdf_backend_bdc_shipout_contstream:ee
663 }
664 \cs_set_protected:Npn \__pdf_backend_emc:
665 {
666     \__kernel_backend_literal:n {pdf:code~EMC} \%pdfbase
667 }
668 % properties are handled automatically, but the other resources should be added
669 % at shipout
670 \cs_new_protected:Npn \__pdf_backend_PageResources_gpush:n #1
671 {
672     \clist_map_inline:Nn \c__pdf_backend_PageResources_clist
673     {
674         \prop_if_empty:cF { \__kernel_pdfdict_name:n { g__pdf_Core/Page/Resources/#1} }
675         {
676             \__kernel_backend_literal:e
677             {
678                 pdf:put~@resources-
679                 <</##1~\pdf_object_ref:n {__pdf/Page/Resources/#1}>>
680             }
681         }
682     }
683 }
684 
```

/dvipdfmx | xdvipdfmx)

% luatex + pdftex

*luatex

\cs_set_protected:Npn __pdf_backend_bdcobject:nn #1 #2 % #1 eg. Span, #2: object name

#2:

\int_gincr:N \g__pdf_backend_name_int

__kernel_backend_literal_page:e

{ /#1 ~ /l3pdf\int_use:N\g__pdf_backend_name_int\c_space_tl BDC }

\bool_if:NTF \l__pdf_backend_xform_bool

#3:

\pdfdict_gput:nee

{ g__pdf_Core/Xform/Resources/Properties }

```

696     { 13pdf\int_use:N\g__pdf_backend_name_int }
697     { \pdf_object_ref:n { #2 } }
698   }
699   {
700     \exp_args:Ne \tex_latelua:D
701     {
702       ltx.pdf.Page_Resources_Properties_gput
703       (
704         tex.count["g_shipout_READONLY_int"],
705         "13pdf\int_use:N\g__pdf_backend_name_int",
706         "\pdf_object_ref:n { #2 }"
707       )
708     }
709   }
710 }
711 \cs_set_protected:Npn \__pdf_backend_bdcobject:n #1% #1 eg. Span
712 {
713   \int_gincr:N \g__pdf_backend_name_int
714   \__kernel_backend_literal_page:e
715   { / \exp_not:n{#1} ~ /13pdf\int_use:N\g__pdf_backend_name_int\c_space_t1 BDC }
716   \bool_if:NTF \l__pdf_backend_xform_bool
717   {
718     \pdfdict_gput:nee %no handler needed
719     { g__pdf_Core/Xform/Resources/Properties }
720     { 13pdf\int_use:N\g__pdf_backend_name_int }
721     { \__pdf_backend_object_last: }
722   }
723   {
724     \exp_args:Ne \tex_latelua:D
725     {
726       ltx.pdf.Page_Resources_Properties_gput
727       (
728         tex.count["g_shipout_READONLY_int"],
729         "13pdf\int_use:N\g__pdf_backend_name_int",
730         "\__pdf_backend_object_last:"
731       )
732     }
733   }
734 }
735 \cs_set_protected:Npn \__pdf_backend_bmc:n #1
736 {
737   \__kernel_backend_literal_page:n { /#1~BMC }
738 }
739 \cs_set_protected:Npn \__pdf_backend_bdc_contobj:nn #1 #2
740 {
741   \pdf_object_unnamed_write:nn { dict } { #2 }
742   \__pdf_backend_bdcobject:n { #1 }
743 }
744 \cs_set_protected:Npn \__pdf_backend_bdc_contstream:nn #1 #2
745 {
746   \__kernel_backend_literal_page:n { /#1~<<#2>>~BDC }
747 }
748
749 \cs_set_eq:NN \__pdf_backend_bdc:nn \__pdf_backend_bdc_contstream:nn

```

```

750 \bool_if:NT\l__pdfmanagement_delayed_shipout_bool
751 {
752     \cs_set_protected:Npn \__pdf_backend_bdc_shipout_contstream:ee #1 #2
753     {
754         \__kernel_backend_shipout_literal_page:e { /#1~<<#2>>~BDC }
755     }
756     \cs_set_eq:NN \__pdf_backend_bdc_shipout:ee \__pdf_backend_bdc_shipout_contstream:ee
757 }
758 }
759
760 \cs_set_protected:Npn \__pdf_backend_emc:
761 {
762     \__kernel_backend_literal_page:n { EMC }
763 }
764
765 \cs_new_protected:Npn \__pdf_backend_PageResources_gpush:n #1 {}
766 
```

pdflatex is the most complicated if we want to use properties as it has to go through the aux ... the push command is extended to take other resources too

```

767 {*pdftex}
768 \cs_set_protected:Npn \__pdf_backend_bdcobject:nn #1 #2 % #1 eg. Span, #2: object name
769 {
770     \int_gincr:N \g__pdf_backend_name_int
771     \__kernel_backend_literal_page:e
772     { /#1 ~ /13pdf\int_use:N\g__pdf_backend_name_int\c_space_tl BDC }
773     % code to set the property ....
774     \int_gincr:N\g__pdf_backend_resourceid_int
775     \bool_if:NTF \l__pdf_backend_xform_bool
776     {
777         \pdfdict_gput:nee %no handler needed
778         { g__pdf_Core/Xform/Resources/Properties }
779         { 13pdf\int_use:N\g__pdf_backend_resourceid_int }
780         { \pdf_object_ref:n { #2 } }
781     }
782     {
783         \__pdf_backend_record_abspage:e {13pdf\int_use:N\g__pdf_backend_resourceid_int}
784         \tl_set:Ne \l__pdf_tmpa_tl
785         {
786             \__pdf_backend_ref_abspage:e{13pdf\int_use:N\g__pdf_backend_resourceid_int}
787         }
788         \pdfdict_if_exist:nF { g__pdf_Core/backend_Page\l__pdf_tmpa_tl/Resources/Properties
789         {
790             \pdfdict_new:n { g__pdf_Core/backend_Page\l__pdf_tmpa_tl/Resources/Properties }
791         }
792         \pdfdict_gput:nee
793         { g__pdf_Core/backend_Page\l__pdf_tmpa_tl/Resources/Properties }
794         { 13pdf\int_use:N\g__pdf_backend_resourceid_int }
795         { \pdf_object_ref:n{#2} }
796     }
797 }
798 \cs_set_protected:Npn \__pdf_backend_bdcobject:n #1% #1 eg. Span
799 {
800     \int_gincr:N \g__pdf_backend_name_int

```

```

801     \_\_kernel_backend_literal_page:e
802     { /\exp_not:n{#1} ~ /l3pdf\int_use:N\g\_pdf_backend_name_int\c_space_t1 BDC }
803 % code to set the property ....
804 \int_gincr:N\g\_pdf_backend_resourceid_int
805 \bool_if:NTF \l\_pdf_backend_xform_bool
806 {
807     \pdfdict_gput:nee
808     { g\_pdf_Core/Xform/Resources/Properties }
809     { l3pdf\int_use:N\g\_pdf_backend_resourceid_int }
810     { \_\_pdf_backend_object_last: }
811 }
812 {
813     \_\_pdf_backend_record_abspage:e{l3pdf\int_use:N\g\_pdf_backend_resourceid_int}
814 \tl_set:Ne \l\_pdf_tmpa_tl
815 {
816     \_\_pdf_backend_ref_abspage:e{l3pdf\int_use:N\g\_pdf_backend_resourceid_int}
817 }
818 \pdfdict_if_exist:nF { g\_pdf_Core/backend_Page\l\_pdf_tmpa_tl/Resources/Properties
819 {
820     \pdfdict_new:n { g\_pdf_Core/backend_Page\l\_pdf_tmpa_tl/Resources/Properties }
821 }
822 \pdfdict_gput:nee
823 { g\_pdf_Core/backend_Page\l\_pdf_tmpa_tl/Resources/Properties }
824 { l3pdf\int_use:N\g\_pdf_backend_resourceid_int }
825 { \_\_pdf_backend_object_last: }
826 \%pdfdict_show:n { g_backend_Page\l\_pdf_tmpa_tl/Resources/Properties }
827 }
828 }
829 \cs_set_protected:Npn \_\_pdf_backend_bmc:n #1
830 {
831     \_\_kernel_backend_literal_page:n { /#1~BMC }
832 }
833 \cs_set_protected:Npn \_\_pdf_backend_bdc_contobj:nn #1 #2
834 {
835     \pdf_object_unnamed_write:nn { dict } { #2 }
836     \_\_pdf_backend_bdcobject:n { #1 }
837 }
838 \cs_set_protected:Npn \_\_pdf_backend_bdc_contstream:nn #1 #2
839 {
840     \_\_kernel_backend_literal_page:n { /#1~<<#2>>~BDC }
841 }

```

We use by default the direct BDC.

```

842 \cs_set_eq:NN \_\_pdf_backend_bdc:nn \_\_pdf_backend_bdc_contstream:nn
843
844 \bool_if:NT\l\_pdfmanagement_delayed_shipout_bool
845 {
846     \cs_set_protected:Npn \_\_pdf_backend_bdc_shipout_contstream:ee #1 #2
847     {
848         \_\_kernel_backend_shipout_literal_page:e { /#1~<<#2>>~BDC }
849     }
850     \cs_set_eq:NN \_\_pdf_backend_bdc_shipout:ee \_\_pdf_backend_bdc_shipout_contstream:ee
851 }
852
853 \cs_set_protected:Npn \_\_pdf_backend_emc:

```

```

854 {
855   \__kernel_backend_literal_page:n { EMC }
856 }
857
858 \cs_new:Npn \__pdf_backend_PageResources_gpush_aux:n #1 %#1 ExtGState etc
859 {
860   \prop_if_empty:cF
861     { \__kernel_pfdict_name:n { g__pdf_Core/Page/Resources/#1} }
862   {
863     \pfdict_item:ne { #1 }{ \pdf_object_ref:n {__pdf/Page/Resources/#1}}
864   }
865 }
866
867 \cs_new_protected:Npn \__pdf_backend_PageResources_gpush:n #1
868 {
869   \exp_args:NNe \tex_global:D \tex_pdfpageresources:D
870   {
871     \prop_if_exist:cT
872       { \__kernel_pfdict_name:n { g__pdf_Core/backend_Page#1/Resources/Properties } }
873     {
874       /Properties~
875       <<
876         \prop_map_function:cN
877           { \__kernel_pfdict_name:n { g__pdf_Core/backend_Page#1/Resources/Properties } }
878           \pfdict_item:ne
879         >>
880     }
881   %% add ExtGState etc
882   \clist_map_function:NN
883     \c__pdf_backend_PageResources_clist
884     \__pdf_backend_PageResources_gpush_aux:n
885   }
886 }
887
888 
```

(End of definition for `__pdf_backend_bdc:nn` and others.)

1.10 “Catalog” & subdirectories (pdfcatalog)

The backend command is already in the driver: `__pdf_backend_catalog_gput:nn`

1.10.1 Special case: the /Names/EmbeddedFiles dictionary

Entries to /Names are handled differently, in part (/Desc) it is automatic, for other special commands like `\pdfnames` must be used. For EmbeddedFiles dvips wants code for every file and then creates the Name tree automatically. Other name trees are ignored. TODO: Currently the code for EmbeddedFiles is still a bit different but this should be merged, all name trees should be handled with the same code.

```

889 % pdflatex
890 {*pdftex}
891 \cs_new_protected:Npn \__pdf_backend_Names_gpush:nn #1 #2 %#1 name of name tree, #2 array co
892 {
893   \pdf_object_unnamed_write:nn {dict} {/Names [#2] }

```

```

894     \tex_pdfnames:D {/#1~\pdf_object_ref_last:}
895 }
896 </pdftex>
897 <*luatex>
898 \cs_new_protected:Npn \__pdf_backend_Names_gpush:nn #1 #2 %#1 name of name tree, #2 array co
899 {
900     \pdf_object_unnamed_write:nn {dict} {/Names [#2] }
901     \tex_pdfextension:D-names~ {/#1~\pdf_object_ref_last:}
902 }
903 </luatex>
904 <*dvipdfmx | xdvipdfmx>
905 \cs_new_protected:Npn \__pdf_backend_Names_gpush:nn #1 #2 %#1 name of name tree, #2 array co
906 {
907     \pdf_object_unnamed_write:nn {dict} {/Names [#2] }
908     \__pdf_backend:e {put~@names~<</#1~\pdf_object_ref_last: >>}
909 }
910 </dvipdfmx | xdvipdfmx>
911
912 %dvips: noop
913 <*dvips>
914 \cs_new_protected:Npn \__pdf_backend_Names_gpush:nn #1 #2 {}
915 </dvips>
916 %dvisvgm: noop
917 <*dvisvgm>
918 \cs_new_protected:Npn \__pdf_backend_Names_gpush:nn #1 #2 {}
919 </dvisvgm>

```

EmbeddedFiles is a bit special. For once we need backend commands for dvips. But we want also an option to create the name on the fly.

dvips need special backend code to create the name tree. With the other engines it does nothing.

```

920 <*pdftex | luatex | dvipdfmx | xdvipdfmx>
921 \cs_new_protected:Npn \__pdf_backend_NamesEmbeddedFiles_add:nn #1 #2 {}
922 </pdftex | luatex | dvipdfmx | xdvipdfmx>
923 <*dvips>
924 \cs_new_protected:Npn \__pdf_backend_NamesEmbeddedFiles_add:nn #1 #2
925 {
926     \__pdf_backend_pdfmark:e
927     {
928         /Name-#1~
929         /FS-#2~
930         /EMBED
931     }
932 }
933 </dvips>
934 <*dvisvgm>
935 %no op. Or is there any sensible use for it?
936 \cs_new_protected:Npn \__pdf_backend_NamesEmbeddedFiles_add:nn #1 #2
937 {}
938 </dvisvgm>

```

(End of definition for __pdf_backend_NamesEmbeddedFiles_add:nn.)

1.10.2 Additional annotation commands

Starting with texlive 2021 pdftex and luatex offer commands to interrupt a link. That can for example be used to exclude the header and footer from the link. We add here backend support for this.

```
940 <*drivers>
941 \cs_if_free:NNT \__pdf_backend_link_off:
942 {
943     \cs_new_protected:Npn \__pdf_backend_link_off:{}
944     \cs_new_protected:Npn \__pdf_backend_link_on: {}
945 }
946 </drivers>
947 <*pdftex>
948 \cs_if_exist:NT \pdfrunninglinkoff
949 {
950     \cs_set_protected:Npn \__pdf_backend_link_off:
951     {
952         \pdfrunninglinkoff
953     }
954     \cs_set_protected:Npn \__pdf_backend_link_on:
955     {
956         \pdfrunninglinkon
957     }
958 }
959 </pdftex>
960 <*luatex>
961 \int_compare:nNnT {\tex_luatexversion:D} > {112}
962 {
963     \cs_set_protected:Npn \__pdf_backend_link_off:
964     {
965         \pdfextension linkstate 1
966     }
967     \cs_set_protected:Npn \__pdf_backend_link_on:
968     {
969         \pdfextension linkstate 0
970     }
971 }
972 </luatex>
973 <*dvipdfmx | xdvipdfmx>
974 \cs_set_protected:Npn \__pdf_backend_link_off:
975 {
976     \__pdf_backend:n { nolink }
977 }
978 \cs_set_protected:Npn \__pdf_backend_link_on:
979 {
980     \__pdf_backend:n { link }
981 }
982 </dvipdfmx | xdvipdfmx>
```

1.10.3 Form XObject / backend

```
\__pdf_backend_xform_new:nnnn #1 : name
#2 : attributes
#3 : resources needed?? or are all resources autogenerated?
```

#4 : content, this doesn't need to be a box!

```
\__pdf_backend_xform_use:n      983  {*pdftex}
\__pdf_backend_xform_ref:n      984  \cs_new_protected:Npn \__pdf_backend_xform_new:nnnn #1 #2 #3 #4
985  % #1 name
986  % #2 attributes
987  % #3 resources
988  % #4 content, not necessarily a box!
989  {
990    \hbox_set:Nn \l__pdf_backend_tmpa_box
991    {
992      \bool_set_true:N \l__pdf_backend_xform_bool
993      \prop_gclear:c { \__kernel_pfdict_name:n { g__pdf_Core/Xform/Resources/Properties } }
994      #4
995    }
996    %store the dimensions
997    \tl_const:ce
998      { c__pdf_backend_xform_wd_ \tl_to_str:n {#1} _tl }
999      { \tex_the:D \box_wd:N \l__pdf_backend_tmpa_box }
1000   \tl_const:ce
1001     { c__pdf_backend_xform_ht_ \tl_to_str:n {#1} _tl }
1002     { \tex_the:D \box_ht:N \l__pdf_backend_tmpa_box }
1003   \tl_const:ce
1004     { c__pdf_backend_xform_dp_ \tl_to_str:n {#1} _tl }
1005     { \tex_the:D \box_dp:N \l__pdf_backend_tmpa_box }
1006 %% do we need to test if #2 and #3 are empty??
1007 \tex_immediate:D \tex_pfdxfm:D
1008   ~ attr ~ { #2 }
1009 %% which other resources should be default? Is an argument actually needed?
1010   ~ resources ~
1011   {
1012     #3
1013     \int_compare:nNnT
1014       { \prop_count:c { \__kernel_pfdict_name:n { g__pdf_Core/Xform/Resources/Properties } }
1015       >
1016       { 0 }
1017       {
1018         /Properties~
1019         <<
1020           \pfdict_use:n { g__pdf_Core/Xform/Resources/Properties }
1021         >>
1022       }
1023
1024 \prop_if_empty:cF
1025   { \__kernel_pfdict_name:n { g__pdf_Core/Page/Resources/ExtGState } }
1026   {
1027     /ExtGState~ \pdf_object_ref:n { __pdf/Page/Resources/ExtGState }
1028   }
1029 \prop_if_empty:cF
1030   { \__kernel_pfdict_name:n { g__pdf_Core/Page/Resources/Pattern } }
1031   {
1032     /Pattern~ \pdf_object_ref:n { __pdf/Page/Resources/Pattern }
1033 }
```

```

1034 \prop_if_empty:cF
1035   { \__kernel_pfdict_name:n { g__pdf_Core/Page/Resources/Shading } }
1036   {
1037     /Shading~ \pdf_object_ref:n { __pdf/Page/Resources/Shading }
1038   }
1039 \prop_if_empty:cF
1040   { \__kernel_pfdict_name:n { g__pdf_Core/Page/Resources/ColorSpace } }
1041   {
1042     /ColorSpace~ \pdf_object_ref:n { __pdf/Page/Resources/ColorSpace }
1043   }
1044 }
1045 \l__pdf_backend_tmpa_box
1046 \int_const:cn
1047   { c__pdf_backend_xform_ \tl_to_str:n {#1} _int }
1048   { \tex_pdflastxform:D }
1049 }
1050
1051 \cs_new_protected:Npn \__pdf_backend_xform_use:n #1
1052   {
1053     \tex_pdfrefxform:D
1054       \int_use:c { c__pdf_backend_xform_ \tl_to_str:n {#1} _int }
1055       \scan_stop:
1056   }
1057
1058 \cs_new:Npn \__pdf_backend_xform_ref:n #1
1059   {
1060     \int_use:c { c__pdf_backend_xform_ \tl_to_str:n {#1} _int } ~ 0 ~ R
1061   }
1062 

//pdftex


1063 

*luatex


1064 

%luatex


1065 

%nearly identical but not completely ...
1066 \cs_new_protected:Npn \__pdf_backend_xform_new:nnnn #1 #2 #3 #4
1067 % #1 name
1068 % #2 attributes
1069 % #3 resources
1070 % #4 content, not necessarily a box!
1071   {
1072     \hbox_set:Nn \l__pdf_backend_tmpa_box
1073     {
1074       \bool_set_true:N \l__pdf_backend_xform_bool
1075       \prop_gclear:c { \__kernel_pfdict_name:n { g__pdf_Core/Xform/Resources/Properties } }
1076       #4
1077     }
1078     \tl_const:ce
1079       { c__pdf_backend_xform_wd_ \tl_to_str:n {#1} _tl }
1080       { \tex_the:D \box_wd:N \l__pdf_backend_tmpa_box }
1081     \tl_const:ce
1082       { c__pdf_backend_xform_ht_ \tl_to_str:n {#1} _tl }
1083       { \tex_the:D \box_ht:N \l__pdf_backend_tmpa_box }
1084     \tl_const:ce
1085       { c__pdf_backend_xform_dp_ \tl_to_str:n {#1} _tl }
1086       { \tex_the:D \box_dp:N \l__pdf_backend_tmpa_box }
1087 %% do we need to test if #2 and #3 are empty??


```

```

1088 \tex_immediate:D \tex_pdfxform:D
1089   ~ attr      ~ { #2 }
1090   %% which resources should be default? Is an argument actually needed?
1091   ~ resources ~
1092   {
1093     #3
1094     \int_compare:nNnT
1095       {\prop_count:c { \__kernel_pfdict_name:n { g__pdf_Core/Xform/Resources/Properties
1096         >
1097         { 0 }
1098         {
1099           /Properties~
1100           <<
1101             \pfdict_use:n { g__pdf_Core/Xform/Resources/Properties }
1102           >>
1103         }
1104       \prop_if_empty:cF
1105         { \__kernel_pfdict_name:n { g__pdf_Core/Page/Resources/ExtGState } }
1106         {
1107           /ExtGState~ \pdf_object_ref:n { __pdf/Page/Resources/ExtGState }
1108         }
1109       \prop_if_empty:cF
1110         { \__kernel_pfdict_name:n { g__pdf_Core/Page/Resources/Pattern } }
1111         {
1112           /Pattern~ \pdf_object_ref:n { __pdf/Page/Resources/Pattern }
1113         }
1114       \prop_if_empty:cF
1115         { \__kernel_pfdict_name:n { g__pdf_Core/Page/Resources/Shading } }
1116         {
1117           /Shading~ \pdf_object_ref:n { __pdf/Page/Resources/Shading }
1118         }
1119       \prop_if_empty:cF
1120         { \__kernel_pfdict_name:n { g__pdf_Core/Page/Resources/ColorSpace } }
1121         {
1122           /ColorSpace~ \pdf_object_ref:n { __pdf/Page/Resources/ColorSpace }
1123         }
1124       }
1125     \l__pdf_backend_tmpa_box
1126     \int_const:cn
1127       { c__pdf_backend_xform_ \tl_to_str:n {#1} _int }
1128       { \tex_pdflastxform:D }
1129   }
1130
1131 \cs_new_protected:Npn \__pdf_backend_xform_use:n #1 %protected as with xelatex
1132   {
1133     \tex_pdfrefxform:D \int_use:c
1134     {
1135       c__pdf_backend_xform_ \tl_to_str:n {#1} _int
1136     }
1137     \scan_stop:
1138   }
1139
1140 \cs_new:Npn \__pdf_backend_xform_ref:n #1
1141   { \int_use:c { c__pdf_backend_xform_ \tl_to_str:n {#1} _int } ~ 0 ~ R }

```

```

1142
1143 </luatex>
1144 <*dvipdfmx | xdvipdfmx>
1145 % xetex
1146 % it needs a bit testing if it really works to set the box to 0 before the special ...
1147 % does it disturb viewing the xobject?
1148 % what happens with the resources (bdc)? (should work as they are specials too)
1149 % xetex requires that the special is in horizontal mode. This means it affects
1150 % typesetting. But we can no delay the whole form code to shipout
1151 % as the object reference and the size is often wanted on the current page.
1152 % so we need to allocate a box - but probably they won't be thousands xform
1153 % in a document so it shouldn't matter.
1154 \cs_new_protected:Npn \__pdf_backend_xform_new:nnnn #1 #2 #3 #4
1155 % #1 name
1156 % #2 attributes
1157 % #3 resources
1158 % #4 content, not necessarily a box!
1159 {
1160     \int_gincr:N \g__pdf_backend_object_int
1161     \int_const:cn
1162         { c__pdf_backend_xform_ \tl_to_str:n {#1} _int }
1163         { \g__pdf_backend_object_int }
1164     \box_new:c { g__pdf_backend_xform_#1_box }
1165     \hbox_gset:cn { g__pdf_backend_xform_#1_box }
1166     {
1167         \bool_set_true:N \l__pdf_backend_xform_bool
1168             #4
1169         }
1170     \tl_const:ce
1171         { c__pdf_backend_xform_wd_ \tl_to_str:n {#1} _tl }
1172         { \tex_the:D \box_wd:c { g__pdf_backend_xform_#1_box } }
1173     \tl_const:ce
1174         { c__pdf_backend_xform_ht_ \tl_to_str:n {#1} _tl }
1175         { \tex_the:D \box_ht:c { g__pdf_backend_xform_#1_box } }
1176     \tl_const:ce
1177         { c__pdf_backend_xform_dp_ \tl_to_str:n {#1} _tl }
1178         { \tex_the:D \box_dp:c { g__pdf_backend_xform_#1_box } }
1179     \box_set_dp:cn { g__pdf_backend_xform_#1_box } { \c_zero_dim }
1180     \box_set_ht:cn { g__pdf_backend_xform_#1_box } { \c_zero_dim }
1181     \box_set_wd:cn { g__pdf_backend_xform_#1_box } { \c_zero_dim }
1182     \hook_gput_next_code:nn {shipout/background}
1183     {
1184         \mode_leave_vertical: %needed, the xform disappears without it.
1185         \__pdf_backend:e
1186         {
1187             bobj ~ \__pdf_backend_xform_ref:n { #1 }
1188             \c_space_tl width ~ \pdfform_wd:n { #1 }
1189             \c_space_tl height ~ \pdfform_ht:n { #1 }
1190             \c_space_tl depth ~ \pdfform_dp:n { #1 }
1191         }
1192         \box_use_drop:c { g__pdf_backend_xform_#1_box }
1193         \__pdf_backend:e {put ~ @resources ~<<#3>> }
1194         \__pdf_backend:e
1195         {

```

```

1196     put~ @resources ~
1197     <<
1198         /ExtGState~ \pdf_object_ref:n { __pdf/Page/Resources/ExtGState }
1199     >>
1200   }
1201   \__pdf_backend:e
1202   {
1203     put~ @resources ~
1204     <<
1205         /Pattern~ \pdf_object_ref:n { __pdf/Page/Resources/Pattern }
1206     >>
1207   }
1208   \__pdf_backend:e
1209   {
1210     put~ @resources ~
1211     <<
1212         /Shading~ \pdf_object_ref:n { __pdf/Page/Resources/Shading }
1213     >>
1214   }
1215   \__pdf_backend:e
1216   {
1217     put~ @resources ~
1218     <<
1219         /ColorSpace~
1220         \pdf_object_ref:n { __pdf/Page/Resources/ColorSpace }
1221     >>
1222   }
1223   \__pdf_backend:e {exobj ~<<#2>>}
1224 }
1225
1226
1227
1228
1229 \cs_new:Npn \__pdf_backend_xform_ref:n #1
1230 {
1231   @pdf.xform \int_use:c { c__pdf_backend_xform_ \tl_to_str:n {#1} _int }
1232 }
1233
1234 \cs_new_protected:Npn \__pdf_backend_xform_use:n #1
1235 {
1236   \hbox_set:Nn \l__pdf_backend_tmpa_box
1237   {
1238     \__pdf_backend:e
1239     {
1240       uxobj~ \__pdf_backend_xform_ref:n { #1 }
1241     }
1242   }
1243   \box_set_wd:Nn \l__pdf_backend_tmpa_box { \pdfxform_wd:n { #1 } }
1244   \box_set_ht:Nn \l__pdf_backend_tmpa_box { \pdfxform_ht:n { #1 } }
1245   \box_set_dp:Nn \l__pdf_backend_tmpa_box { \pdfxform_dp:n { #1 } }
1246   \box_use_drop:N \l__pdf_backend_tmpa_box
1247 }
1248 </dvipdfmx | xdvipdfmx>
1249 <*dvisvgm>

```

```

1250 % unclear what it should do!!
1251 \cs_new_protected:Npn \__pdf_backend_xform_new:nnnn #1 #2 #3 #4 {}
1252 \cs_new_protected:Npn \__pdf_backend_xform_use:n #1 {}
1253 \cs_new:Npn \__pdf_backend_xform_ref:n {}
1254 
```

The xform code for dvips is based on code from the attachfile2 package (in atfi-dvips), along with some ideas from pdfbase and has been corrected with the help of Alexander Grahn. Details like clipping and landscape will probably be corrected in the future. We need some temporary variables to store dimensions

```

1255 <!*dvips>
1256 \tl_new:N \l__pdf_backend_xform_tpwd_tl
1257 \tl_new:N \l__pdf_backend_xform_tmppd_tl
1258 \tl_new:N \l__pdf_backend_xform_tmph_tl
1259 \cs_new_protected:Npn \__pdf_backend_xform_new:nnnn #1 #2 #3 #4 % #1 name, #2 attribute, #4
1260 {
1261     \int_gincr:N \g__pdf_backend_object_int
1262     \int_const:cn
1263     { c__pdf_backend_xform_ \tl_to_str:n {#1} _int }
1264     { \g__pdf_backend_object_int }
1265
1266     \hbox_set:Nn \l__pdf_backend_tmpa_box
1267     {
1268         \bool_set_true:N \l__pdf_backend_xform_bool
1269         \prop_gclear:c {\__kernel_pfdict_name:n { g__pdf_Core/Xform/Resources/Properties }}}
1270         #4
1271     }
1272 %store the dimensions
1273     \tl_const:ce
1274     { c__pdf_backend_xform_wd_ \tl_to_str:n {#1} _tl }
1275     { \tex_the:D \box_wd:N \l__pdf_backend_tmpa_box }
1276     \tl_const:ce
1277     { c__pdf_backend_xform_ht_ \tl_to_str:n {#1} _tl }
1278     { \tex_the:D \box_ht:N \l__pdf_backend_tmpa_box }
1279     \tl_const:ce
1280     { c__pdf_backend_xform_dp_ \tl_to_str:n {#1} _tl }
1281     { \tex_the:D \box_dp:N \l__pdf_backend_tmpa_box }
1282 %store content dimensions in DPI units (Dots) (code from issue 25)
1283     \tl_set:Ne\l__pdf_backend_xform_tpwd_tl
1284     {
1285         \dim_to_decimal_in_sp:n{ \box_wd:N \l__pdf_backend_tmpa_box }-
1286         65536~div~72.27~div~DVImag~mul~Resolution~mul~
1287     }
1288     \tl_set:Ne\l__pdf_backend_xform_tmph_tl
1289     {
1290         \dim_to_decimal_in_sp:n{ \box_ht:N \l__pdf_backend_tmpa_box }-
1291         65536~div~72.27~div~DVImag~mul~VResolution~mul~
1292     }
1293     \tl_set:Ne\l__pdf_backend_xform_tmppd_tl
1294     {
1295         \dim_to_decimal_in_sp:n{ \box_dp:N \l__pdf_backend_tmpa_box }-
1296         65536~div~72.27~div~DVImag~mul~VResolution~mul~
1297     }
1298 % mirror the box

```

```

1299 \%box_scale:Nnn \l__pdf_backend_tmpa_box {1} {-1}
1300 \hbox_set:Nn\l__pdf_backend_tmpb_box
1301 {
1302     \_kernel_backend_postscript:e
1303     {
1304         gsave~currentpoint~
1305         initclip~ % restore default clipping path (page device/whole page)
1306         clippath~pathbbox~newpath~pop~pop~
1307         \tl_use:N\l__pdf_backend_xform_tmpdp_tl~add~translate~
1308         mark~
1309         /_objdef~{ pdf.obj \int_use:N\g__pdf_backend_object_int }\c_space_tl~
1310         /BBox[
1311             0~
1312             \tl_use:N\l__pdf_backend_xform_tmph_tl~
1313             \tl_use:N\l__pdf_backend_xform_tmpwd_tl~
1314             \tl_use:N\l__pdf_backend_xform_tmpdp_tl~
1315             neg
1316         ]
1317         \str_if_eq:eeF{#1}{}
1318         {
1319             product~(Distiller)~search~{pop~pop~pop~#2}{pop}ifelse~
1320         }
1321         /BP~pdfmark~1~-1~-scale~neg~exch~neg~exch~translate
1322     }
1323     \box_use_drop:N\l__pdf_backend_tmpa_box
1324     \_kernel_backend_postscript:n
1325     {
1326         mark ~ /EP~pdfmark ~ grestore
1327     }
1328     \str_if_eq:eeF{#1}{}
1329     {
1330         \_kernel_backend_postscript:e
1331         {
1332             product~(Ghostscript)~search~
1333             {
1334                 pop~pop~pop~
1335                 mark~
1336                 { pdf.obj \int_use:c{c__pdf_backend_xform_ \tl_to_str:n {#1} _int} }
1337                 ~<<#2>>~/PUT~pdfmark
1338             }{pop}ifelse
1339         }
1340     }
1341 }
1342 \box_set_dp:Nn \l__pdf_backend_tmpb_box { \c_zero_dim }
1343 \box_set_ht:Nn \l__pdf_backend_tmpb_box { \c_zero_dim }
1344 \box_set_wd:Nn \l__pdf_backend_tmpb_box { \c_zero_dim }
1345 \hook_gput_code:nnn {begindocument/end}{pdffxform}
1346 {
1347     \mode_leave_vertical:
1348     \box_use:N\l__pdf_backend_tmpb_box
1349 }
1350 }
1351
1352

```

```

1353 \cs_new_protected:Npn \__pdf_backend_xform_use:n #1
1354 {
1355     \hbox_set:Nn \l__pdf_backend_tmpa_box
1356     {
1357         \__kernel_backend_postscript:e
1358         {
1359             gsave~currentpoint~translate~-1~-1~scale~
1360             mark~{ pdf.obj \int_use:c{c__pdf_backend_xform_ \tl_to_str:n {#1} _int } }~
1361             /SP~pdfmark ~ grestore
1362         }
1363     }
1364     \box_set_wd:Nn \l__pdf_backend_tmpa_box { \pdfxform_wd:n { #1 } }
1365     \box_set_ht:Nn \l__pdf_backend_tmpa_box { \pdfxform_ht:n { #1 } }
1366     \box_set_dp:Nn \l__pdf_backend_tmpa_box { \pdfxform_dp:n { #1 } }
1367     \box_use_drop:N \l__pdf_backend_tmpa_box
1368 }
1369 \cs_new:Npn \__pdf_backend_xform_ref:n #1
1370 {
1371     { pdf.obj \int_use:c{c__pdf_backend_xform_ \tl_to_str:n {#1} _int } }
1372 }
1373 </dvips>
1375 <*drivers>
1376 %% all
1377 \prg_new_if_exist:Npnn \__pdf_backend_xform_if_exist:n #1 { p , T , F , TF }
1378 {
1379     \int_if_exist:cTF { c__pdf_backend_xform_ \tl_to_str:n {#1} _int }
1380     { \prg_return_true: }
1381     { \prg_return_false: }
1382 }
1383 \prg_new_eq_if_exist>NNn \pdfxform_if_exist:n\__pdf_backend_xform_if_exist:n
1384 { TF , T , F , p }
1385 </drivers>

```

(End of definition for `__pdf_backend_xform_new:nnnn`, `__pdf_backend_xform_use:n`, and `__pdf_backend_xform_ref:n`.)

1.11 Structure Destinations

Standard destinations consist of a reference to a page in the pdf and instructions how to display it—typically they will put a specific location in the left top corner of the viewer and so give the impression that a link jumped to the word in this place. But in reality they are not connected to the content.

Starting with pdf 2.0 destinations can in a tagged PDF also point to a structure, to a `/StructElem` object. GoTo links can then additionally to the `/D` key pointing to a page destination also point to such a structure destination with an `/SD` key. Programs that e.g. convert such a PDF to html can then create better links. (According to the reference, PDF-viewer should prefer the structure destination over the page destination, but as far as it is known this isn't done yet.)

Currently structure destinations and GoTo links making use of it could natively only be created with the dvipdfmx backend. With pdftex and lualatex it was only possible to create a restricted type which used only the “Fit” mode. Starting with TeXlive 2022

(earlier in miktex) both engine will knew new keywords which allow to create structure destination easily.

The following backend code prepares the use of structure destinations. The general idea is that if structure destinations are used, they should be used always. So we define alternative commands which can be activated by mapping them to the standard backend commands.

The needed code differ depending on if structure objects use standard or indexed object names. At the end we will probably always use indexed objects, but for now we offer both options.

\l_pdf_current_structure_destination_t1 This command holds the name of the structure object to use in the following commands which creates a destination. The code which activates structure destinations must also ensure that it has a sensible, expandable content. `tagpdf` for example will define it as

```
\tl_set:Nn \l_pdf_current_structure_destination_t1 { __tag/struct/\g__tag_struct_stack
or if indexed structure object names are used
```

```
\tl_set:Nn \l_pdf_current_structure_destination_t1 { {__tag/struct}{\g__tag_struct_st
1386 <*drivers>
1387 \tl_new:N \l_pdf_current_structure_destination_t1
1388 </drivers>
```

(End of definition for \l_pdf_current_structure_destination_t1.)

We will define alternatives for three backend commands:

```
\__pdf_backend_destination:nn      -> \__pdf_backend_structure_destination:nn
\__pdf_backend_destination:nnnn -> \__pdf_backend_structure_destination:nnnn
\__pdf_backend_link_begin_goto:nnw -> \__pdf_backend_link_begin_structure_goto:nnw
\__pdf_backend_destination:nn      -> \__pdf_backend_indexed_structure_destination:nn
\__pdf_backend_destination:nnnn -> \__pdf_backend_indexed_structure_destination:nnnn
\__pdf_backend_link_begin_goto:nnw -> \__pdf_backend_indexed_link_begin_structure_got
```

Activating means mapping them onto the original commands. Be aware that not all engines and compilation routes support structure destinations, for them the command will be a no-op.

```
\pdf_activate_structure_destination:
pdf_activate_indexed_structure_destination:
1389 <*drivers>
1390 \cs_new_protected:Npn \pdf_activate_structure_destination:
1391 {
1392   \cs_gset_eq:NN \__pdf_backend_destination:nn      \__pdf_backend_structure_destination:nn
1393   \cs_gset_eq:NN \__pdf_backend_destination:nnnn -> \__pdf_backend_structure_destination:nnnn
1394   \cs_gset_eq:NN \__pdf_backend_link_begin_goto:nnw \__pdf_backend_link_begin_structure_goto:nnw
1395 }
1396 \cs_new_protected:Npn \pdf_activate_indexed_structure_destination:
1397 {
1398   \cs_gset_eq:NN \__pdf_backend_destination:nn      \__pdf_backend_indexed_structure_destination:nn
1399   \cs_gset_eq:NN \__pdf_backend_destination:nnnn -> \__pdf_backend_indexed_structure_destination:nnnn
1400   \cs_gset_eq:NN \__pdf_backend_link_begin_goto:nnw \__pdf_backend_link_begin_structure_goto:nnw
1401 }
1402 </drivers>
```

(End of definition for \pdf_activate_structure_destination: and \pdf_activate_indexed_structure_destination:.)

Now the driver dependent parts. By default the new commands are simply copies of the original commands. We adapt them then for the engines and engine version which provide support for structure destinations.

```

1403 <*drivers>
1404 \cs_set_eq:NN \__pdf_backend_structure_destination:nn      \__pdf_backend_destination:nn
1405 \cs_set_eq:NN \__pdf_backend_structure_destination:nnnn     \__pdf_backend_destination:nnnn
1406 \cs_set_eq:NN \__pdf_backend_link_begin_structure_goto:nw \__pdf_backend_link_begin_goto:nw
1407 \cs_set_eq:NN \__pdf_backend_indexed_structure_destination:nn \__pdf_backend_destination:nn
1408 \cs_set_eq:NN \__pdf_backend_indexed_structure_destination:nnnn \__pdf_backend_destination:nnnn
1409 </drivers>
```

These commands are the backend commands to create a destination, which create also a structure destination. At first xetex/dvipdfmx. The structure destination is an array, so we use obj for it so that we can reference it:

```

1410 <*xdvipdfmx | dvipdfmx>
1411 \cs_set_protected:Npn \__pdf_backend_structure_destination:nn #1#2
1412 {
1413   \__pdf_backend:e
1414   {
1415     dest ~ ( \exp_not:n {#1} )
1416     [
1417       @thispage
1418       \str_case:nnF {#2}
1419       {
1420         { xyz } { /XYZ ~ @xpos ~ @ypos ~ null }
1421         { fit } { /Fit }
1422         { fitb } { /FitB }
1423         { fitbh } { /FitBH }
1424         { fitbv } { /FitBV ~ @xpos }
1425         { fith } { /FitH ~ @ypos }
1426         { fitv } { /FitV ~ @xpos }
1427         { fitr } { /Fit }
1428       }
1429       { /XYZ ~ @xpos ~ @ypos ~ \fp_eval:n { (#2) / 100 } }
1430     ]
1431   }
```

We test if the structure object exist. The object of the structure destination gets the name @pdf.Sdest.<destname>, where <destname> is the name of the standard destination so that we can reference it in the GoTo links.

```

1432   \exp_args:Ne \pdf_object_if_exist:nT { \l_pdf_current_structure_destination_tl }
1433   {
1434     \__pdf_backend:e
1435     {
1436       obj ~ @pdf.SDest.\exp_not:n{#1}
1437       [
1438         \exp_args:Ne \pdf_object_ref:n { \l_pdf_current_structure_destination_tl }
1439         \str_case:nnF {#2}
1440         {
1441           { xyz } { /XYZ ~ @xpos ~ @ypos ~ null }
1442           { fit } { /Fit }
```

```

1443         { fitb } { /FitB }
1444         { fitbh } { /FitBH }
1445         { fitbv } { /FitBV ~ @xpos }
1446         { fith } { /FitH ~ @ypos }
1447         { fitv } { /FitV ~ @xpos }
1448         { fitr } { /Fit }
1449     }
1450     { /XYZ ~ @xpos ~ @ypos ~ \fp_eval:n { (#2) / 100 } }
1451   ]
1452 }
1453 }
1454 }
```

The second destination command is for the boxed destination. Here we need to define an new auxiliary command:

```

1455 \cs_new_protected:Npn \__pdf_backend_structure_destination_aux:nnnn #1#2#3#4
1456 {
1457   \vbox_to_zero:n
1458   {
1459     \__kernel_kern:n {#4}
1460     \hbox:n
1461     {
1462       \__pdf_backend:n { obj ~ @pdf_ #2 _llx ~ @xpos }
1463       \__pdf_backend:n { obj ~ @pdf_ #2 _lly ~ @ypos }
1464     }
1465     \tex_vss:D
1466   }
1467   \__kernel_kern:n {#1}
1468   \vbox_to_zero:n
1469   {
1470     \__kernel_kern:n { -#3 }
1471     \hbox:n
1472     {
1473       \__pdf_backend:n
1474       {
1475         dest ~ (#2)
1476         [
1477           @thispage
1478           /FitR ~
1479             @pdf_ #2 _llx ~ @pdf_ #2 _lly ~
1480             @xpos ~ @ypos
1481         ]
1482     }
```

Here we add the structure destination to the same box

```

1483   \exp_args:Nne \pdf_object_if_exist:nT { \l_pdf_current_structure_destination_tl }
1484   {
1485     \__pdf_backend:e
1486     {
1487       obj ~ @pdf.SDest.\exp_not:n{#2}
1488       [
1489         \exp_args:Nne \pdf_object_ref:n { \l_pdf_current_structure_destination_
1490           /FitR ~
1491             @pdf_ #2 _llx ~ @pdf_ #2 _lly ~
1492             @xpos ~ @ypos }
```

```

1493           ]
1494       }
1495   }
1496   \tex_vss:D
1497 }
1498 \__kernel_kern:n { -#1 }
1500 }

```

And now we redefine the destination command:

```

1501 \cs_set_protected:Npn \__pdf_backend_structure_destination:nnn #1#2#3#4
1502 {
1503     \exp_args:Ne \__pdf_backend_structure_destination_aux:nnn
1504     { \dim_eval:n {#2} } {#1} {#3} {#4}
1505 }

```

At last the goto link.

```

1506 \cs_set_protected:Npn \__pdf_backend_link_begin_structure_goto:nw #1#2
1507 {
1508     \__pdf_backend_link_begin:n { #1 /Subtype /Link /A << /S /GoTo /D ( #2 ) /SD~@pdf.SDest...
1509 }
1510 </xdvipdfmx | dvipdfmx>

```

Now pdftex. We only redefine for version 1.40 revision 24 or later.

```

1511 <*pdftex>
1512 \bool_lazy_and:nnT
1513 { \int_compare_p:nNn {\tex_pdftexversion:D} > {139} }
1514 { \int_compare_p:nNn {\tex_pdftexrevision:D} > {23} }
1515 {
1516     \cs_set_protected:Npn \__pdf_backend_structure_destination:nn #1#2
1517     {
1518         \tex_pdfdest:D
1519         name {#1}
1520         \str_case:nnF {#2}
1521         {
1522             { xyz } { xyz }
1523             { fit } { fit }
1524             { fitb } { fitb }
1525             { fitbh } { fitbh }
1526             { fitbv } { fitbv }
1527             { fith } { fith }
1528             { fitv } { fitv }
1529             { fitr } { fitr }
1530         }
1531         { xyz ~ zoom \fp_eval:n { #2 * 10 } }
1532         \scan_stop:
1533         \exp_args:Ne \pdf_object_if_exist:nT { \l_pdf_current_structure_destination_tl }
1534     }
1535     \tex_pdfdest:D
1536     struct~
1537     \int_use:c
1538     { c__pdf_object_ \exp_args:Ne \tl_to_str:n { \l_pdf_current_structure_destination_name {#1} }
1539     \str_case:nnF {#2}
1540     {

```

```

1542 { xyz } { xyz }
1543 { fit } { fit }
1544 { fitb } { fitb }
1545 { fitbh } { fitbh }
1546 { fitbv } { fitbv }
1547 { fith } { fith }
1548 { fitv } { fitv }
1549 { fitr } { fitr }
1550 }
1551 { xyz ~ zoom \fp_eval:n { #2 * 10 } }
1552 \scan_stop:
1553 }
1554 }
1555 \cs_set_protected:Npn \__pdf_backend_structure_destination:nnnn #1#2#3#4
1556 {
1557   \tex_pdfdest:D
1558   name {#1}
1559   fitr ~
1560   width \dim_eval:n {#2} ~
1561   height \dim_eval:n {#3} ~
1562   depth \dim_eval:n {#4} \scan_stop:
1563 \exp_args:Ne \pdf_object_if_exist:nT { \l_pdf_current_structure_destination_tl }
1564 {
1565   \tex_pdfdest:D
1566   struct~
1567   \int_use:c
1568   { c__pdf_object_ \exp_args:Ne \tl_to_str:n {\l_pdf_current_structure_destination}
1569   name {#1}
1570   fitr ~
1571   width \dim_eval:n {#2} ~
1572   height \dim_eval:n {#3} ~
1573   depth \dim_eval:n {#4} \scan_stop:
1574 }
1575 }
1576 \cs_set_protected:Npn \__pdf_backend_link_begin_structure_goto:nnw #1#2
1577 {
1578   \__pdf_backend_link_begin:nnnw {#1} { goto~struct~name~{#2}~name } {#2}
1579 }
1580 }
1581 
```

luatex is quite similar to pdftex. Mostly the test for the version is different

```

1582 <*luatex>
1583 \int_compare:nNnT {\directlua{tex.print(status.list()["development_id"])} } > {7468}
1584 {
1585   \cs_set_protected:Npn \__pdf_backend_structure_destination:nn #1#2
1586   {
1587     \tex_pdfextension:D dest
1588     name {#1}
1589     \str_case:nnF {#2}
1590     {
1591       { xyz } { xyz }
1592       { fit } { fit }
1593       { fitb } { fitb }
1594       { fitbh } { fitbh }

```

```

1595           { fitbv } { fitbv }
1596           { fith } { fith }
1597           { fitv } { fitv }
1598           { fitr } { fitr }
1599       }
1600       { xyz ~ zoom \fp_eval:n { #2 * 10 } }
1601   \scan_stop:
1602   \exp_args:N \pdf_object_if_exist:nT { \l_pdf_current_structure_destination_tl }
1603   {
1604     \tex_pdfextension:D dest
1605     struct~
1606     \int_use:c
1607       { c__pdf_object_ \exp_args:N \tl_to_str:n {\l_pdf_current_structure_destination_name {#1}}
1608       \str_case:nnF {#2}
1609       {
1610         { xyz } { xyz }
1611         { fit } { fit }
1612         { fitb } { fitb }
1613         { fitbh } { fitbh }
1614         { fitbv } { fitbv }
1615         { fith } { fith }
1616         { fitv } { fitv }
1617         { fitr } { fitr }
1618       }
1619       { xyz ~ zoom \fp_eval:n { #2 * 10 } }
1620   \scan_stop:
1621   }
1622   }
1623 }
1624 \cs_set_protected:Npn \__pdf_backend_structure_destination:nnnn #1#2#3#4
1625 {
1626   \tex_pdfextension:D dest
1627   name {#1}
1628   fitr ~
1629   width \dim_eval:n {#2} ~
1630   height \dim_eval:n {#3} ~
1631   depth \dim_eval:n {#4} \scan_stop:
1632   \exp_args:N \pdf_object_if_exist:nT { \l_pdf_current_structure_destination_tl }
1633   {
1634     \tex_pdfextension:D dest
1635     struct~
1636     \int_use:c
1637       { c__pdf_object_ \exp_args:N \tl_to_str:n {\l_pdf_current_structure_destination_name {#1}}
1638       \str_case:nnF {#2}
1639       {
1640         { xyz } { xyz }
1641         { fit } { fit }
1642         { fitb } { fitb }
1643         { fitbh } { fitbh }
1644         { fitbv } { fitbv }
1645         { fith } { fith }
1646         { fitv } { fitv }
1647         { fitr } { fitr }
1648       }
1649       { xyz ~ zoom \fp_eval:n { #2 * 10 } }
1650   \scan_stop:
1651   }
1652 }
1653 \cs_set_protected:Npn \__pdf_backend_link_begin_structure_goto:nnw #1#2
1654 {
1655   \__pdf_backend_link_begin:nnnw {#1} { goto~struct~name~{#2}~name } {#2}
1656 }
```

```

1649     }
1650   </luatex>

```

(End of definition for `__pdf_backend_structure_destination:nn`, `__pdf_backend_structure_destination:nnnn`, and `__pdf_backend_link_begin_structure_goto:nw`.)

`df_backend_indexed_structure_destination:nn`
`_backend_indexed_structure_destination:nnnn`

This are the indexed variants of the commands to create a destination and a structure destination. At first xetex/dvipdfmx. The structure destination is an array, so we use `obj` for it so that we can reference it:

```

1651 <*xdvipdfmx | dvipdfmx
1652 \cs_set_protected:Npn \__pdf_backend_indexed_structure_destination:nn #1#2
1653 {
1654   \__pdf_backend:e
1655   {
1656     dest ~ ( \exp_not:n {#1} )
1657     [
1658       @thispage
1659       \str_case:nnF {#2}
1660       {
1661         { xyz } { /XYZ ~ @xpos ~ @ypos ~ null }
1662         { fit } { /Fit }
1663         { fitb } { /FitB }
1664         { fitbh } { /FitBH }
1665         { fitbv } { /FitBV ~ @xpos }
1666         { fith } { /FitH ~ @ypos }
1667         { fitv } { /FitV ~ @xpos }
1668         { fitr } { /Fit }
1669       }
1670       { /XYZ ~ @xpos ~ @ypos ~ \fp_eval:n { (#2) / 100 } }
1671     ]
1672   }

```

We do not test anymore if the structure object exist. The object of the structure destination gets the name `@pdf.Sdest.<destname>`, where `<destname>` is the name of the standard destination so that we can reference it in the GoTo links.

```

1673   \__pdf_backend:e
1674   {
1675     obj ~ @pdf.SDest.\exp_not:n{#1}
1676     [
1677       \exp_after:wN \pdf_object_ref_indexed:nn \l_pdf_current_structure_destination_t
1678       \str_case:nnF {#2}
1679       {
1680         { xyz } { /XYZ ~ @xpos ~ @ypos ~ null }
1681         { fit } { /Fit }
1682         { fitb } { /FitB }
1683         { fitbh } { /FitBH }
1684         { fitbv } { /FitBV ~ @xpos }
1685         { fith } { /FitH ~ @ypos }
1686         { fitv } { /FitV ~ @xpos }
1687         { fitr } { /Fit }
1688       }
1689       { /XYZ ~ @xpos ~ @ypos ~ \fp_eval:n { (#2) / 100 } }
1690     ]
1691   }
1692 }

```

The second destination command is for the boxed destination. Here we need to define an new auxiliary command:

```

1693 \cs_new_protected:Npn \__pdf_backend_indexed_structure_destination_aux:n{nnnn #1#2#3#4}
1694 {
1695     \vbox_to_zero:n
1696     {
1697         \__kernel_kern:n {#4}
1698         \hbox:n
1699         {
1700             \__pdf_backend:n { obj ~ @pdf_ #2 _llx ~ @xpos }
1701             \__pdf_backend:n { obj ~ @pdf_ #2 _lly ~ @ypos }
1702         }
1703         \tex_vss:D
1704     }
1705     \__kernel_kern:n {#1}
1706     \vbox_to_zero:n
1707     {
1708         \__kernel_kern:n { -#3 }
1709         \hbox:n
1710         {
1711             \__pdf_backend:n
1712             {
1713                 dest ~ (#2)
1714                 [
1715                     @thispage
1716                     /FitR ~
1717                     @pdf_ #2 _llx ~ @pdf_ #2 _lly ~
1718                     @xpos ~ @ypos
1719                 ]
1720             }
1721 }
```

Here we add the structure destination to the same box

```

1721     \__pdf_backend:e
1722     {
1723         obj ~ @pdf.SDest.\exp_not:n{#2}
1724         [
1725             \exp_after:wN \pdf_object_ref_indexed:nn \l_pdf_current_structure_destination:n
1726             /FitR ~
1727             @pdf_ #2 _llx ~ @pdf_ #2 _lly ~
1728             @xpos ~ @ypos
1729         ]
1730     }
1731     \tex_vss:D
1732 }
1733 \__kernel_kern:n { -#1 }
1734 }
```

And now we redefine the destination command:

```

1736 \cs_set_protected:Npn \__pdf_backend_indexed_structure_destination:n{nnnn #1#2#3#4}
1737 {
1738     \exp_args:Ne \__pdf_backend_indexed_structure_destination_aux:n{nnnn
1739         { \dim_eval:n {#2} } {#1} {#3} {#4}}
1740 }
1741 </xdvipdfmx | dvipdfmx>
```

Now pdftex. We only redefine for version 1.40 revision 24 or later.

```

1742 {*pdftex}
1743 \bool_lazy_and:nNt
1744 { \int_compare_p:nNn {\tex_pdftexversion:D} > {139} }
1745 { \int_compare_p:nNn {\tex_pdftexrevision:D} > {23} }
1746 {
1747   \cs_set_protected:Npn \__pdf_backend_indexed_structure_destination:nn #1#2
1748   {
1749     \tex_pdfdest:D
1750     name {#1}
1751     \str_case:nnF {#2}
1752     {
1753       { xyz } { xyz }
1754       { fit } { fit }
1755       { fitb } { fitb }
1756       { fitbh } { fitbh }
1757       { fitbv } { fitbv }
1758       { fith } { fith }
1759       { fitv } { fitv }
1760       { fitr } { fitr }
1761     }
1762     { xyz ~ zoom \fp_eval:n { #2 * 10 } }
1763   \scan_stop:
1764   \tex_pdfdest:D
1765   struct~
1766   \exp_after:wN \__kernel_pdf_object_id_indexed:nn \l_pdf_current_structure_des
1767   name {#1}
1768   \str_case:nnF {#2}
1769   {
1770     { xyz } { xyz }
1771     { fit } { fit }
1772     { fitb } { fitb }
1773     { fitbh } { fitbh }
1774     { fitbv } { fitbv }
1775     { fith } { fith }
1776     { fitv } { fitv }
1777     { fitr } { fitr }
1778   }
1779   { xyz ~ zoom \fp_eval:n { #2 * 10 } }
1780   \scan_stop:
1781 }
1782 \cs_set_protected:Npn \__pdf_backend_indexed_structure_destination:nnnn #1#2#3#4
1783 {
1784   \tex_pdfdest:D
1785   name {#1}
1786   fitr ~
1787   width \dim_eval:n {#2} ~
1788   height \dim_eval:n {#3} ~
1789   depth \dim_eval:n {#4} \scan_stop:
1790   \tex_pdfdest:D
1791   struct~
1792   \exp_after:wN \__kernel_pdf_object_id_indexed:nn \l_pdf_current_structure_destinati
1793   name {#1}
1794   fitr ~

```

```

1795     width  \dim_eval:n {#2} ~
1796     height \dim_eval:n {#3} ~
1797     depth  \dim_eval:n {#4} \scan_stop:
1798   }
1799 }
1800 
```

luatex is quite similar to pdftex. Mostly the test for the version is different

```

1801 <*luatex>
1802 \int_compare:nNnT {\directlua{tex.print(status.list()["development_id"])} } > {7468}
1803 {
1804   \cs_set_protected:Npn \__pdf_backend_indexed_structure_destination:nn #1#2
1805   {
1806     \tex_pdfextension:D dest
1807     name {#1}
1808     \str_case:nnF {#2}
1809     {
1810       { xyz } { xyz }
1811       { fit } { fit }
1812       { fitb } { fitb }
1813       { fitbh } { fitbh }
1814       { fitbv } { fitbv }
1815       { fith } { fith }
1816       { fitv } { fitv }
1817       { fitr } { fitr }
1818     }
1819     { xyz ~ zoom \fp_eval:n { #2 * 10 } }
1820     \scan_stop:
1821     \tex_pdfextension:D dest
1822     struct~
1823     \exp_after:wN \__kernel_pdf_object_id_indexed:nn \l_pdf_current_structure_desti
1824     name {#1}
1825     \str_case:nnF {#2}
1826     {
1827       { xyz } { xyz }
1828       { fit } { fit }
1829       { fitb } { fitb }
1830       { fitbh } { fitbh }
1831       { fitbv } { fitbv }
1832       { fith } { fith }
1833       { fitv } { fitv }
1834       { fitr } { fitr }
1835     }
1836     { xyz ~ zoom \fp_eval:n { #2 * 10 } }
1837     \scan_stop:
1838   }
1839   \cs_set_protected:Npn \__pdf_backend_indexed_structure_destination:nnnn #1#2#3#4
1840   {
1841     \tex_pdfextension:D dest
1842     name {#1}
1843     fitr ~
1844     width  \dim_eval:n {#2} ~
1845     height \dim_eval:n {#3} ~
1846     depth  \dim_eval:n {#4} \scan_stop:
1847     \tex_pdfextension:D dest

```

```

1848         struct~
1849             \exp_after:wN \__kernel_pdf_object_id_indexed:nn \l_pdf_current_structure_destination
1850             name {#1}
1851             fitr ~
1852             width \dim_eval:n {#2} ~
1853             height \dim_eval:n {#3} ~
1854             depth \dim_eval:n {#4} \scan_stop:
1855         }
1856     \cs_set_protected:Npn \__pdf_backend_link_begin_structure_goto:nnw #1#2
1857     {
1858         \__pdf_backend_link_begin:nnnw {#1} { goto~struct~name~{#2}~name } {#2}
1859     }
1860 }
1861  //luatex
```

(End of definition for __pdf_backend_indexed_structure_destination:nn and __pdf_backend_indexed_structure_destination:nnnn.)

1.12 Settings for regression tests

When doing pdf based regression tests some meta data in the pdf should have fixed values to get identical pdf's. We define here the backend dependent part. The main command is then in l3pdftmeta

```

1862 <*drivers>
1863 \cs_new_protected:Npn \__pdf_backend_set_regression_data:
1864 {
1865     \sys_gset_rand_seed:n{1000}
1866     \pdfmanagement_add:nnn{Info}{Creator}{(TeX)}
1867 //drivers
1868 <*dvips>
1869     \AddToHook{begindocument}{\pdfmanagement_add:nnn{Info}{Producer}{(pdfTeX+dvips)}}
1870     \__kernel_backend_literal:e{!~<</DocumentUUID~(DocumentUUID)>>~setpagedevice}
1871     \__kernel_backend_literal:e{!~<</InstanceUUID~(InstanceUUID)>>~setpagedevice}
1872     \str_if_exist:NTF\c_sys_timestamp_str
1873     {
1874         \pdfmanagement_add:nne{Info}{CreationDate}{(\c_sys_timestamp_str)}
1875         \pdfmanagement_add:nne{Info}{ModDate}{(\c_sys_timestamp_str)}
1876     }
1877     {
1878         \pdfmanagement_add:nnn{Info}{CreationDate}{(D:20010101205959-00'00')}
1879         \pdfmanagement_add:nnn{Info}{ModDate}{(D:20010101205959-00'00')}
1880     }
1881 //dvips
1882 <*dvipdfmx>
1883     \pdfmanagement_add:nnn{Info}{Producer}{(dvipdfmx)}
1884     \__kernel_backend_literal:e
1885     {pdf:trailerid [~  

1886     <00112233445566778899aabccddeeff>~  

1887     <00112233445566778899aabccddeeff>~  

1888     ]}
1889 //dvipdfmx
1890 <*xdvipdfmx>
1891     \pdfmanagement_add:nnn{Info}{Producer}{(xetex)}
1892     \__kernel_backend_literal:e
```

```

1893     {pdf:trailerid [~
1894         <00112233445566778899aabcccddeeff>~
1895         <00112233445566778899aabcccddeeff>~
1896     ]}
1897   </xdvipdfmx>
1898   <*pdftex>
1899     \pdfmanagement_add:nnn{Info}{Producer}{(pdfTeX)}
1900     \tex_pdfsuppressptexinfo:D 7 \scan_stop:
1901     \pdftrailerid{2350CAD05F8A7AF0AA4058486855344F}
1902   </pdftex>
1903   <*luatex>
1904     \pdfmanagement_add:nnn{Info}{Producer}{(LuaTeX)}
1905     \tex_pdfvariable:D suppressoptionalinfo 7\relax
1906     \tex_pdfvariable:D trailerid
1907     {[~
1908         <2350CAD05F8A7AF0AA4058486855344F>~
1909         <2350CAD05F8A7AF0AA4058486855344F>~
1910     ]}
1911   </luatex>
1912   <*drivers>
1913     \str_if_exist:N\c_sys_timestamp_str
1914     {
1915         \pdfmanagement_add:nnn{Info}{CreationDate}{(D:20010101205959-00'00')}
1916         \pdfmanagement_add:nnn{Info}{ModDate}{(D:20010101205959-00'00')}
1917         \AddToDocumentProperties[document]{creationdate}{D:20010101205959-00'00'}
1918         \AddToDocumentProperties[document]{moddate}{D:20010101205959-00'00'}
1919         \AddToDocumentProperties[hyperref]{pdfmetadate}{D:20010101205959-00'00'}
1920         \AddToDocumentProperties[hyperref]{pdfdate}{D:20010101205959-00'00'}
1921     }
1922     \AddToDocumentProperties[hyperref]{pdfinstanceid}{uuid:0a57c455-157a-4141-8c19-6237d832f
1923     \AddToDocumentProperties[hyperref]{pdfproducer}{\c_sys_engine_exec_str-NN.NN.NN}
1924   }
1925 </drivers>

```

1.13 Uncompressed metadata object stream

The xmp metadata should be written “uncompressed” to pdf. It is not quite clear what exactly that means. Probably it only means that there should be no `/Filter` key in the stream, but packages like `pdfx` and `hyperref` try to suppress object compression too, so we add support for it too. With `luatex` this is possible by using the `uncompressed` key word. With `pdftex` one can change locally the compresslevel. `(x)dvipdfmx` does it automatically and doesn’t need some special command. No solution is known for the `dvi` route. We need it only once, so we make it special and probably no public interface is needed. It writes an unnamed object so should be referenced directly with `\pdf_object_ref_last`:

```

1926   <*luatex>
1927   \cs_new_protected:Npn \__pdf_backend_metadata_stream:n #1
1928   {
1929     \tex_immediate:D \tex_pdfextension:D obj ~uncompressed~
1930     \__pdf_backend_object_write:nn {stream} {{/Type~/Metadata~/Subtype~/XML}{#1}}
1931   }
1932   </luatex>
1933   <*pdftex>
1934   \cs_new_protected:Npn \__pdf_backend_metadata_stream:n #1

```

```

1935   {
1936     \group_begin:
1937       \tex_pdfcompresslevel:D 0 \scan_stop:
1938       \tex_immediate:D \tex_pdfobj:D
1939       \__pdf_backend_object_write:nn {stream} {{/Type~/Metadata~/Subtype~/XML}{#1}}
1940     \group_end:
1941   }
1942 
```

`/pdftex`

`\cs_new_protected:Npn __pdf_backend_metadata_stream:n #1`

{

`\pdf_object_unnamed_write:nn {stream} {{/Type~/Metadata~/Subtype~/XML}{#1}}`

}

`/xdvipdfmx | dvipdfmx | dvips | dvisvgm`

`\cs_new_protected:Npn __pdf_backend_metadata_stream:n #1`

{

`\pdf_object_unnamed_write:nn {stream} {{/Type~/Metadata~/Subtype~/XML}{#1}}`

}

`/xdvipdfmx | dvipdfmx | dvips | dvisvgm`

1.14 Suppressing deprecated PDF features

`/ProcSet`, `/CharSet` and the `/Info` dictionary are deprecated in PDF 2.0. For the pdf/A-4 standard they must be suppressed. Not every engine is able to do this, but for pdfTeX and luatex we define suitable backend command. `/ProcSet` is suppressed automatically for pdf version 2.0 starting with in texlive 2023.

`__pdf_backend OMIT_CHARSET:n` The option to omit `/Charset` exists already for quite some time for the two engines.

```

1949 
```

`\cs_new_protected:Npn __pdf_backend OMIT_CHARSET:n #1 {} %#1 number`

`/xdvipdfmx | dvipdfmx | dvips | dvisvgm`

`*pdftex`

`\cs_new_protected:Npn __pdf_backend OMIT_CHARSET:n #1 %#1 number`

{

`\tex_pdfomitcharset:D = #1 \scan_stop:`

}

`/pdftex`

`*luatex`

`\cs_new_protected:Npn __pdf_backend OMIT_CHARSET:n #1 %#1 number`

{

`\tex_pdfvariable:D omitcharset = #1 \scan_stop:`

}

`/luatex`

(End of definition for `__pdf_backend OMIT_CHARSET:n`.)

`__pdf_backend OMIT_INFO:n` The option to suppress the info dictionary will be available in texlive 2023.

```

1964 
```

`\cs_new_protected:Npn __pdf_backend OMIT_INFO:n #1 {} %#1 number`

`/xdvipdfmx | dvipdfmx | dvips | dvisvgm`

`*pdftex`

`\bool_lazy_and:nnTF`

`{ \int_compare_p:nNn {\tex_pdftexversion:D} > {139} }`

`{ \int_compare_p:nNn {\tex_pdftexrevision:D} > {24} }`

{

`\cs_new_protected:Npn __pdf_backend OMIT_INFO:n #1 %#1 number`

{

`\pdfomitinfodict = #1 \scan_stop:`

}

```

1976     }
1977     {
1978         \cs_new_protected:Npn \__pdf_backend_omit_info:n #1 {}%#1 number
1979
1980     }
1981 
```

```

1981 </pdftex>
1982 <*luatex>
1983 \int_compare:nNnTF {\directlua{tex.print(status.list()["development_id"])} } > {7560}
1984 {
1985     \cs_new_protected:Npn \__pdf_backend_omit_info:n #1 %#1 number
1986     {
1987         \tex_pdfvariable:D omitinfodict = #1 \scan_stop:
1988     }
1989 }
1990 {
1991     \cs_new_protected:Npn \__pdf_backend_omit_info:n #1 {}%#1 number
1992 }
1993 
```

(End of definition for `__pdf_backend_omit_info:n`.)

With luatex it is for some standards also necessary to suppress the CidSet entry in the fonts (with xetex there seem to be no problem).

`__pdf_backend_omit_cidset:n` The option to omit /Charset exists already for quite some time for the two engines.

```

1994 <*xdvipdfmx | dvipdfmx | dvips | dvisvgm | pdftex>
1995 \cs_new_protected:Npn \__pdf_backend_omit_cidset:n #1 {}%#1 number
1996 </xdvipdfmx | dvipdfmx | dvips | dvisvgm | pdftex>
1997 <*luatex>
1998 \cs_new_protected:Npn \__pdf_backend_omit_cidset:n #1 %#1 number
1999 {
2000     \tex_pdfvariable:D omitcidset = #1 \scan_stop:
2001 }
2002 
```

(End of definition for `__pdf_backend_omit_cidset:n`.)

1.15 lua code for lualatex

```

2003 <*lua>
2004 ltx= ltx or {}
2005 ltx.__pdf = ltx.__pdf or {}
2006 ltx.__pdf.Page = ltx.__pdf.Page or {}
2007 ltx.__pdf.Page.dflt = ltx.__pdf.Page.dflt or {}
2008 ltx.__pdf.Page.Resources = ltx.__pdf.Resources or {}
2009 ltx.__pdf.Page.Resources.Properties = ltx.__pdf.Page.Resources.Properties or {}
2010 ltx.__pdf.Page.Resources.List={"ExtGState","ColorSpace","Pattern","Shading"}
2011 ltx.__pdf.object = ltx.__pdf.object or {}
2012
2013 ltx.pdf= ltx.pdf or {} -- for "public" functions
2014
2015 local __pdf = ltx.__pdf
2016 local pdf = pdf
2017
2018 local function __pdf_backend_Page_gput (name,value)
2019     __pdf.Page.dflt[name]=value

```

```

2020 end
2021
2022 local function __pdf_backend_Page_gremove (name)
2023   __pdf.Page.dflt[name]=nil
2024 end
2025
2026 local function __pdf_backend_Page_gclear ()
2027   __pdf.Page.dflt={}
2028 end
2029
2030 local function __pdf_backend_ThisPage_gput (page,name,value)
2031   __pdf.Page[page] = __pdf.Page[page] or {}
2032   __pdf.Page[page][name]=value
2033 end
2034
2035 local function __pdf_backend_ThisPage_gpush (page)
2036   local token=""
2037   local t = {}
2038   local tkeys= {}
2039   for name,value in pairs(__pdf.Page.dflt) do
2040     t[name]=value
2041   end
2042   if __pdf.Page[page] then
2043     for name,value in pairs(__pdf.Page[page]) do
2044       t[name] = value
2045     end
2046   end
2047   -- sort the table to get reliable test files.
2048   for name,value in pairs(t) do
2049     table.insert(tkeys,name)
2050   end
2051   table.sort(tkeys)
2052   for _,name in ipairs(tkeys) do
2053     token = token .. "/"..name.." "..t[name]
2054   end
2055   return token
2056 end
2057
2058 function ltx.__pdf.backend_ThisPage_gput (page,name,value) -- tex.count["g_shipout_READONLY"]
2059   __pdf_backend_ThisPage_gput (page,name,value)
2060 end
2061
2062 function ltx.__pdf.backend_ThisPage_gpush (page)
2063   pdf.setpageattributes(__pdf_backend_ThisPage_gpush (page))
2064 end
2065
2066 function ltx.__pdf.backend_Page_gput (name,value)
2067   __pdf_backend_Page_gput (name,value)
2068 end
2069
2070 function ltx.__pdf.backend_Page_gremove (name)
2071   __pdf_backend_Page_gremove (name)
2072 end
2073

```

```

2074 function ltx._pdf.backend_Page_gclear ()
2075   __pdf_backend_Page_gclear ()
2076 end
2077
2078 local Properties = ltx._pdf.Page.Resources.Properties
2079 local ResourceList= ltx._pdf.Page.Resources.List
2080 local function __pdf_backend_PageResources_gpush (page)
2081   local token=""
2082   if Properties[page] then
2083     -- we sort the table, so that the pdf test works
2084     local t = {}
2085     for name,value in pairs (Properties[page]) do
2086       table.insert (t,name)
2087     end
2088     table.sort (t)
2089     for _,name in ipairs(t) do
2090       token = token .. "/"..name.." ".. Properties[page][name]
2091     end
2092     token = "/Properties <<"..token..">>"
2093   end
2094   for i,name in ipairs(ResourceList) do
2095     if ltx._pdf.Page.Resources[name] then
2096       token = token .. "/"..name.." "..ltx.pdf.object_ref("__pdf/Page/Resources/"..name)
2097     end
2098   end
2099 end
2100 return token
2101 end
2102
2103 -- the function is public, as I probably need it in tagpdf too ...
2104 function ltx.pdf.Page_Resources_Properties_gput (page,name,value) -- tex.count["g_shipout_re
2105   Properties[page] = Properties[page] or {}
2106   Properties[page][name]=value
2107   pdf.setpageresources(__pdf_backend_PageResources_gpush (page))
2108 end
2109
2110 function ltx.pdf.Page_Resources_gpush(page)
2111   pdf.setpageresources(__pdf_backend_PageResources_gpush (page))
2112 end
2113
2114 function ltx.pdf.object_ref (objname)
2115   if ltx._pdf.object[objname] then
2116     local ref= ltx._pdf.object[objname]
2117     return ref
2118   else
2119     return "false"
2120   end
2121 end
2122 
```

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

A	
\AddToDocumentProperties	
.. 1917, 1918, 1919, 1920, 1922, 1923	
\AddToHook	1869
B	
bool commands:	
\bool_if:NTF	39, 533, 569, 650, 656, 692, 716, 751, 775, 805, 844
\bool_lazy_and:nnTF .	1512, 1743, 1968
\bool_new:N	522
\bool_set_true:N .	992, 1074, 1167, 1268
box commands:	
\box_dp:N .	1005, 1086, 1178, 1281, 1295
\box_ht:N .	1002, 1083, 1175, 1278, 1290
\box_new:N	88, 89, 1164
\box_scale:Nnn	1299
\box_set_dp:Nn .	1179, 1245, 1342, 1366
\box_set_ht:Nn .	1180, 1244, 1343, 1365
\box_set_wd:Nn .	1181, 1243, 1344, 1364
\box_use:N	1348
\box_use_drop:N .	1192, 1246, 1323, 1367
\box_wd:N ..	999, 1080, 1172, 1275, 1285
C	
clist commands:	
\clist_const:Nn	420
\clist_map_function:NN	882
\clist_map_inline:Nn .	429, 463, 479, 672
cs commands:	
\cs_generate_variant:Nn	28, 31, 32, 35, 36, 79, 80, 417
\cs_gset_eq:NN	651, 652, 1392, 1393, 1394, 1398, 1399, 1400
\cs_if_exist:NTF	432, 948
\cs_if_free:NTF	941
\cs_new:Npn	74, 100, 106, 248, 858, 1058, 1140, 1229, 1253, 1369
\cs_new_protected:Npn	41, 45, 55, 68, 150, 159, 175, 181, 187, 194, 201, 210, 230, 253, 263, 277, 289, 306, 317, 324, 331, 340, 349, 356, 363, 370, 379, 388, 396, 399, 405, 410, 413, 444, 455, 461, 487, 491, 503, 506, 507, 511, 514, 515, 519, 535, 558, 582, 670, 765, 867, 891, 898, 905, 914, 918, 921, 924, 936, 943, 944, 984, 1051, 1066, 1131,
\cs_new_protected:Npx	1154, 1234, 1251, 1252, 1259, 1353, 1390, 1396, 1455, 1693, 1863, 1927, 1934, 1944, 1950, 1953, 1959, 1965, 1972, 1978, 1985, 1991, 1995, 1998
\cs_set_eq:NN	169
\cs_set_eq:NN	530, 531, 566, 567, 662, 749, 757, 842, 850, 1404, 1405, 1406, 1407, 1408
\cs_set_protected:Npn	526, 542, 546, 550, 554, 564, 571, 574, 576, 578, 580, 593, 612, 631, 637, 643, 648, 658, 664, 687, 711, 735, 739, 744, 753, 760, 768, 798, 829, 833, 838, 846, 853, 950, 954, 963, 967, 974, 978, 1411, 1501, 1506, 1516, 1555, 1576, 1585, 1624, 1645, 1652, 1736, 1747, 1782, 1804, 1839, 1856
D	
dim commands:	
\dim_eval:n	1504, 1560, 1561, 1562, 1571, 1572, 1573, 1629, 1630, 1631, 1640, 1641, 1642, 1739, 1787, 1788, 1789, 1795, 1796, 1797, 1844, 1845, 1846, 1852, 1853, 1854
\dim_to_decimal_in_sp:n	1285, 1290, 1295
\c_zero_dim	1179, 1180, 1181, 1342, 1343, 1344
\directlua	97, 1583, 1802, 1983
E	
exp commands:	
\exp_after:wN	1677, 1725, 1766, 1792, 1823, 1849
\exp_args:Ne .	700, 724, 1432, 1438, 1483, 1489, 1503, 1533, 1538, 1563, 1568, 1602, 1607, 1632, 1637, 1738
\exp_args:NNe	869
\exp_not:n	617, 715, 802, 1415, 1436, 1487, 1656, 1675, 1723
F	
fp commands:	
\fp_eval:n	1429, 1450, 1531, 1551, 1600, 1620, 1670, 1689, 1762, 1779, 1819, 1836

G

group commands:

- \group_begin: 1936
- \group_end: 1940

H

hbox commands:

- \hbox:n 1460, 1471, 1698, 1709
- \hbox_gset:Nn 1165
- \hbox_set:Nn 990, 1072, 1236, 1266, 1300, 1355

hook commands:

- \hook_gput_code:nnn .. 142, 482, 1345
- \hook_gput_next_code:nn 1182
- \hook_gset_rule:nnnn 476, 477

I

int commands:

- \int_compare:nNnTF 961, 1013, 1094, 1583, 1802, 1983
- \int_compare_p:nNn 1513, 1514, 1744, 1745, 1969, 1970
- \int_const:Nn . 1046, 1126, 1161, 1262
- \int_gincr:N 213, 595, 614, 689, 713, 770, 774, 800, 804, 1160, 1261
- \int_if_exist:NTF 1379
- \int_new:N 92, 93, 94
- \int_use:N 214, 217, 598, 606, 617, 625, 691, 696, 705, 715, 720, 729, 772, 779, 783, 786, 794, 802, 809, 813, 816, 824, 1054, 1060, 1133, 1141, 1231, 1309, 1336, 1360, 1371, 1537, 1567, 1606, 1636

K

kernel internal commands:

- _kernel_backend_literal:n ... 31, 83, 596, 600, 615, 619, 633, 645, 666, 676, 1870, 1871, 1884, 1892
- _kernel_backend_literal_page:n 28, 690, 714, 737, 746, 762, 771, 801, 831, 840, 855
- _kernel_backend_postscript:n .. 35, 1302, 1324, 1330, 1357
- _kernel_backend_shipout_- literal:n 39, 41, 537, 660
- _kernel_backend_shipout_- literal_page:n ... 55, 55, 755, 848
- _kernel_backend_shipout_- literal_pdf:n 45, 45
- _kernel_kern:n 1459, 1467, 1470, 1499, 1697, 1705, 1708, 1734
- _kernel_pdf_name_from_unicode_- e:n 100, 106

L

latelua commands:

- \latelua: 207, 286, 337, 376

M

mode commands:

- \mode_leave_vertical: ... 1184, 1347

P

pdf commands:

- \pdf_activate_indexed_structure_- destination: 1389, 1396
- \pdf_activate_structure_destination: 1389, 1390
- \l_pdf_current_structure_- destination_tl 1386, 1432, 1438, 1483, 1489, 1533, 1538, 1563, 1568, 1602, 1607, 1632, 1637, 1677, 1725, 1766, 1792, 1823, 1849
- \pdf_object_if_exist:NTF 1432, 1483, 1533, 1563, 1602, 1632
- \pdf_object_new:n 431, 481
- \pdf_object_ref:n 438, 499, 544, 607, 679, 697, 706, 780, 795, 863, 1027, 1032, 1037, 1042, 1107, 1112, 1117, 1122, 1198, 1205, 1212, 1220, 1438, 1489
- \pdf_object_ref_indexed:nn 1677, 1725
- \pdf_object_ref_last: .. 894, 901, 908
- \pdf_object_unnamed_write:nn ... 639, 741, 835, 893, 900, 907, 1946
- \pdf_object_write 496
- \pdf_object_write:nnn 468, 485

pdf internal commands:

- _pdf_backend:n 32, 177, 489, 497, 908, 976, 980, 1185, 1193, 1194, 1201, 1208, 1215, 1223, 1238, 1413, 1434, 1462, 1463, 1473, 1485, 1654, 1673, 1700, 1701, 1711, 1721
- _pdf_backend_bdc:nn 13, 521, 526, 530, 531, 564, 566, 567, 648, 651, 652, 653, 749, 842

```

\__pdf_backend_bdc_contobj:nn . .
..... 530, 566, 637, 651, 739, 833
\__pdf_backend_bdc_contstream:nn
..... 531, 567, 643, 652, 744, 749, 838, 842
\__pdf_backend_bdc_shipout:nn . .
..... 535, 662, 757, 850
\__pdf_backend_bdc_shipout_-
contstream:nn . .
..... 658, 662, 753, 757, 846, 850
\__pdf_backend_bdcobject:n . .
..... 13, 521,
546, 576, 612, 640, 711, 742, 798, 836
\__pdf_backend_bdcobject:nn . .
..... 13, 521, 542, 574, 593, 687, 768
\__pdf_backend_bmc:n . .
..... 13, 521, 554, 580, 631, 735, 829
\__pdf_backend_catalog_gput:nn .. 20
\__pdf_backend_destination:nn . .
..... 1392, 1398, 1404, 1407
\__pdf_backend_destination:nnnn . .
..... 1393, 1399, 1405, 1408
\__pdf_backend_emc: . .
..... 13, 521, 550, 578, 664, 760, 853
\__pdf_backend_indexed_structure_-
destination:nn . .
.. 1398, 1407, 1651, 1652, 1747, 1804
\__pdf_backend_indexed_structure_-
destination:nnnn . .
.. 1399, 1408, 1651, 1736, 1782, 1839
\__pdf_backend_indexed_structure_-
destination_aux:nnnn .. 1693, 1738
\__pdf_backend_link_begin:n .. 1508
\__pdf_backend_link_begin:nnn .. .
..... 1578, 1647, 1858
\__pdf_backend_link_begin_-
goto:nnw . .
..... 1394, 1400, 1406
\__pdf_backend_link_begin_-
structure_goto:nnw 1394, 1400,
1406, 1410, 1506, 1576, 1645, 1856
\__pdf_backend_link_off: . .
..... 941, 943, 950, 963, 974
\__pdf_backend_link_on: . .
..... 944, 954, 967, 978
\__pdf_backend_luastrings:n . .
163, 248, 257, 269, 270, 281, 296, 297
\__pdf_backend_metadata_stream:n . .
..... 1927, 1934, 1944
\g__pdf_backend_name_int . .
..... 91, 595, 598, 606,
614, 617, 625, 689, 691, 696, 705,
713, 715, 720, 729, 770, 772, 800, 802
\__pdf_backend_Names_gpush:nn . .
..... 891, 898, 905, 914, 918
\__pdf_backend_NamesEmbeddedFiles_-
add:nn . .
..... 920, 921, 924, 936
\g__pdf_backend_object_int . .
..... 1160, 1163, 1261, 1264, 1309
\__pdf_backend_object_last: . .
..... 548, 626, 721, 730, 810, 825
\__pdf_backend_object_write:nn . .
..... 1930, 1939
\__pdf_backend OMIT_charset:n . .
..... 1949, 1950, 1953, 1959
\__pdf_backend OMIT_cidset:n . .
..... 1994, 1995, 1998
\__pdf_backend OMIT_info:n . .
.. 1964, 1965, 1972, 1978, 1985, 1991
\__pdf_backend_Page_gput:nn . .
..... 6, 184, 194, 263, 324, 363, 399
\__pdf_backend_Page_gremove:n . .
..... 6, 184, 201, 277, 331, 370, 405
\g__pdf_backend_page_int . .
..... 91
\__pdf_backend_Page_primitive:n . .
..... 6, 184, 187, 240, 253,
317, 342, 351, 356, 381, 390, 396, 417
\__pdf_backend_PageResources:n . .
..... 487, 506, 514
\c__pdf_backend_PageResources_-
clist .. 419, 429, 463, 479, 672, 883
\__pdf_backend_PageResources_-
gpush:n . .
..... 13, 521, 558, 582, 670, 765, 867
\__pdf_backend_PageResources_-
gpush_aux:n . .
..... 858, 884
\__pdf_backend_PageResources_-
gput:nnm 428, 444, 455, 491, 507, 515
\__pdf_backend_PageResources_-
obj_gpush: . 428, 461, 503, 511, 519
\__pdf_backend_Pages_primitive:n . .
..... 149, 150, 159, 169, 175, 181
\__pdf_backend_pdfmark:n . .
..... 36, 528, 544, 548, 552, 556, 926
\__pdf_backend_record_abspage:n . .
..... 68, 79, 214, 783, 813
\__pdf_backend_ref_abspage:n . .
..... 74, 80, 217, 786, 816
\g__pdf_backend_resourceid_int . .
..... 91, 213, 214, 217, 774, 779,
783, 786, 794, 804, 809, 813, 816, 824
\__pdf_backend_set_regression_-
data: . .
..... 1863
\__pdf_backend_shipout_bdc:nn . .
..... 13, 521, 571
\__pdf_backend_structure_-
destination:nn . .
.. 1392, 1404, 1410, 1411, 1516, 1585

```

__pdf_backend_structure_-	
destination:nnnn	
.. 1393, 1405, 1410, 1501, 1555, 1624	
__pdf_backend_structure_-	
destination_aux:nnnn .. 1455, 1503	
__pdf_backend_ThisPage_gpush:n ..	
.... 6, 184, 230, 306, 349, 388, 413	
__pdf_backend_ThisPage_gput:nn ..	
.... 6, 184, 210, 289, 340, 379, 410	
\g__pdf_backend_thispage_-	
shipout_t1	6
\l__pdf_backend_tmipa_box	
.. 85, 990, 999, 1002, 1005, 1045,	
1072, 1080, 1083, 1086, 1125, 1236,	
1243, 1244, 1245, 1246, 1266, 1275,	
1278, 1281, 1285, 1290, 1295, 1299,	
1323, 1355, 1364, 1365, 1366, 1367	
\l__pdf_backend_tmrb_box	
.... 89, 1300, 1342, 1343, 1344, 1348	
\l__pdf_backend_xform_bool	
..... 522, 692,	
716, 775, 805, 992, 1074, 1167, 1268	
__pdf_backend_xform_if_exist:n ..	
..... 1377, 1383	
__pdf_backend_xform_new:nnnn ..	
.... 983, 984, 1066, 1154, 1251, 1259	
__pdf_backend_xform_ref:n	
..... 983, 1058,	
1140, 1187, 1229, 1240, 1253, 1369	
\l__pdf_backend_xform_tmpdp_t1 ..	
..... 1257, 1293, 1307, 1314	
\l__pdf_backend_xform_tmph_t1 ..	
..... 1258, 1288, 1312	
\l__pdf_backend_xform_tmPWD_t1 ..	
..... 1256, 1283, 1313	
__pdf_backend_xform_use:n ..	
... 983, 1051, 1131, 1234, 1252, 1353	
\g__pdf_tmipa_prop .. 85, 232, 237, 242	
\l__pdf_tmipa_t1	
.... 85, 215, 219, 221, 224, 784,	
788, 790, 793, 814, 818, 820, 823, 826	
pdfdict commands:	
\pdfdict_gput:nnn	
. 196, 224, 326, 365, 401, 446, 457,	
509, 517, 694, 718, 777, 792, 807, 822	
\pdfdict_gremove:nn 203, 333, 372, 407	
\pdfdict_if_exist:nTF . 219, 788, 818	
\pdfdict_item:nn .. 242, 863, 878	
\pdfdict_new:n .. 221, 790, 820	
\pdfdict_show:n .. 826	
\pdfdict_use:n 352, 391, 470, 1020, 1101	
\pdfextension	965, 969
\pdfliteral	2
pdfmanagement commands:	
\pdfmanagement_add:nnn	
1866, 1869, 1874, 1875, 1878, 1879,	
1883, 1891, 1899, 1904, 1915, 1916	
pdfmanagement internal commands:	
\g__pdfmanagement_active_bool .. 650	
\l__pdfmanagement_delayed_-	
shipout_bool	
.... 39, 533, 569, 656, 751, 844	
\pdfnames	20
\pdfomitinfodict	1974
\pdfpageref	3
\pdfrunninglinkoff	948, 952
\pdfrunninglinkon	956
\pdftrailerid	1901
pdfxform commands:	
\pdfxform_dp:n .. 1190, 1245, 1366	
\pdfxform_ht:n .. 1189, 1244, 1365	
\pdfxform_if_exist:n	1383
\pdfxform_wd:n .. 1188, 1243, 1364	
prg commands:	
\prg_new_conditional:Npnn .. 1377	
\prg_new_eq_conditional:NNn .. 1383	
\prg_return_false:	1381
\prg_return_true:	1380
prop commands:	
\prop_count:N	1014, 1095
\prop_gclear:N .. 993, 1075, 1269	
\prop_gput:Nnn	237, 494
\prop_gset_eq:NN	232
\prop_if_empty:NTF	
.... 465, 674, 860, 1024, 1029,	
1034, 1039, 1104, 1109, 1114, 1119	
\prop_if_exist:NTF	233, 871
\prop_map_function:NN .. 242, 876	
\prop_map_inline:Nn	235
\prop_new:N	86
property commands:	
\property_record:nn	71
\property_ref:nn	76
\ProvidesExplFile	1
R	
\relax	135, 1905
S	
scan commands:	
\scan_stop:	1055,
1137, 1532, 1552, 1562, 1573, 1601,	
1621, 1631, 1642, 1763, 1780, 1789,	
1797, 1820, 1837, 1846, 1854, 1900,	
1937, 1955, 1961, 1974, 1987, 2000	
\special	2

str commands:	
\str_case:nnTF	1418, 1439, 1520, 1540, 1589, 1609, 1659, 1678, 1751, 1768, 1808, 1825
\str_convert_pdfname:n	102, 495
\str_if_eq:nnTF	1317, 1328
\str_if_exist:NTF	1872, 1913
sys commands:	
\c_sys_engine_exec_str	1923
\sys_gset_rand_seed:n	1865
\sys_if_engine_luatex:TF	157
\c_sys_timestamp_str	1872, 1874, 1875, 1913
T	
TeX and L ^A T _E X 2 _{<} commands:	
\@bsphack	70
\@esphack	72
\@kernel@after@enddocument@afterlastpage	112, 113
\@kernel@after@shipout@background	133, 136
\@kernel@after@shipout@lastpage	119, 120, 126, 127
\@kernel@before@shipout@background	135
\g@addto@macro	135, 136
\special	2
tex commands:	
\tex_directlua:D	161, 265, 279, 432, 434, 447, 448
\tex_global:D	152, 189, 869
\tex_immediate:D	1007, 1088, 1929, 1938
\tex_latelua:D	255, 291, 308, 700, 724
\tex_luaescapestring:D	250
\tex_luatexversion:D	961
\tex_pdfcompresslevel:D	1937
\tex_pdfdest:D	1518, 1535, 1557, 1565, 1749, 1764, 1784, 1790
\tex_pdfextension:D	48, 58, 901, 1587, 1604, 1626, 1634, 1806, 1821, 1841, 1847, 1929
\tex_pdflastxform:D	1048, 1128
\tex_pdfliteral:D	51, 61
\tex_pdfnames:D	894
\tex_pdfobj:D	1938
\tex_pdfomitcharset:D	1955
\tex_pdfpageattr:D	189
\tex_pdfpageresources:D	869
\tex_pdfpagesattr:D	152
\tex_pdfrefxform:D	1053, 1133
\tex_pdfformatinfo:D	1900
\tex_pdftexrevision:D	1514, 1745, 1970
\tex_pdftexversion:D	1513, 1744, 1969
\tex_pdfvariable:D	1905, 1906, 1961, 1987, 2000
\tex_pdxform:D	1007, 1088
\tex_special:D	42, 171, 319, 358
\tex_the:D	999, 1002, 1005, 1080, 1083, 1086, 1172, 1175, 1178, 1275, 1278, 1281
\tex_unexpanded:D	250
\tex_vss:D	1465, 1497, 1703, 1732
text commands:	
\textr_expand:n	102, 108
tl commands:	
\c_space_tl	598, 606, 617, 625, 691, 715, 772, 802, 1188, 1189, 1190, 1309
\tl_const:Nn	997, 1000, 1003, 1078, 1081, 1084, 1170, 1173, 1176, 1273, 1276, 1279
\tl_gput_right:Nn	113, 120, 127
\tl_if_exist:NTF	133
\tl_new:N	87, 1256, 1257, 1258, 1387
\tl_set:Nn	215, 784, 814, 1283, 1288, 1293
\tl_to_str:n	998, 1001, 1004, 1047, 1054, 1060, 1079, 1082, 1085, 1127, 1135, 1141, 1162, 1171, 1174, 1177, 1231, 1263, 1274, 1277, 1280, 1336, 1360, 1371, 1379, 1538, 1568, 1607, 1637
\tl_use:N	1307, 1312, 1313, 1314
V	
vbox commands:	
\vbox_to_zero:n	1457, 1468, 1695, 1706